



*Together Stronger*

**BRIO**

[www.brioshop.com.tr](http://www.brioshop.com.tr)

[www.brio-europe.com](http://www.brio-europe.com)

# PRODUCT GROUPS / INDEX

Battery Test And Charging Devices	4
Led Lamps	23
Pneumatic Devices	35
General Chemicals	47
Industrial Paint and Insulation Products	64
Car Additives	72
Tire Care and Repair Group	79
DPF Care and Cleaning Products	82
Adhesives, Lockers, Sealants Group	85
Car Care Products	94
Glass Repair Products	109
Bodywork Dent Pulling Products	115
Soldering-Welding Works Products	122
Tapes	126
A/C Maintenance Products	130
Hand Tools	136
Tool Trolleys and Tool Bags	145
Lifting Jacks	163
Bulbs	166
Lubrication Products	171
Special Equipments	178
Sanding, Cutting, Flap Discs	190
Torque Wrenches and Tools	195



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Battery Test and Charging Devices



# O306-MB

## Battery Booster & Battery Powered Tire Inflator 3000A-150PSI



*Brio Airboost is much more than a battery booster. Moreover, it is not only equipped with a high-performance compressor, but also offers additional features that make it an indispensable companion for all car owners.*

### Model

O306-MB

Battery Lithium Capacity (Wh):	88,8Wh
Initial Current (A):	1750A
Peak Current (A):	3000A
Pressure Range (PSI):	10-150 PSI
Compressor Cable Length (cm):	50cm
Input-Output USB-C:	5-20V/3A PD 60W
Output USB-A:	5V/3A, 9V/2A, 12V/1,5A
Charging Time (hours):	1,5 hours
LED Brightness (lumens):	300 lm
Dimensions (cm):	25,1*13,8*6,5 cm
Weight (kg):	1,8 kg



- **Built-in Compressor:** With 150 Psi compressor, Airboost is ready to meet all your tire inflation needs, ensuring maximum safety on the road.
- **Booster Function:** With 3000 peak amps of power, Airboost can restart your vehicle in the blink of an eye, eliminating the stress of battery failure.
- **Integrated Power Bank:** Even if your electronic devices run out of charge during your travels, this is not a problem. Airboost also functions as a power bank, allowing your smartphones, tablets and other devices to be charged.
- **Emergency Light:** In an emergency situation, the Airbatt-2 is equipped with a powerful LED light to ensure optimum visibility.



# 0901-B12V2500

## Battery Booster 12V 2500A



### Model

0901-B12V2500

Voltage:	12 V
Reinforcement rate:	2500 P.LE
Internal battery:	12V 22 Ah
Cranking rate:	850 A
Recharge:	230 V
Charging capacity:	12 V 1.2 Ah
Charge voltage max.:	14.9 V
Battery life (cycle):	400-500
Number of batteries:	1
Surge protection:	✓
Sealed battery:	✓
ABS shockproof case:	✓
Automatic charger:	✓
Igniter socket cable:	✓
Cable diameter:	25 mm <sup>2</sup>
Length of cables:	87 cm
Dimensions (L x W x H):	31 x 10 x 28
Weight (kg):	9.5

### Boost in 10 Seconds

- Runs Your Battery in 10 Seconds

### Provides Consecutive Boosts

- It gives the opportunity to boost more than one vehicle according to the battery conditions.

### Charges While You Sleep

- Fully Charged in 12 Hours.

### 22000 mAh – Capacity

- Boost with 22ah or 22.000 mAh power starts.



### Indicator Display

- Find out how much charge is left with five led indicators.

### Charges with 12v Power

- Charges with 12v power in 12 hours, consumes electricity optimally

### Long Battery Life

- It has an above-average battery life that lasts longer than 400-500 RPM.

# 0901-B12V2200A-X12

## Battery Booster 12V 2200A



Peak Current:	2200A
Charging Time:	4-5 Hours
USB Output (DC):	5V 2A
USB Output 2:	5V 1A
Output Slot:	12V 10A
Input Slot:	15V 1A
USB Cables:	Micro-TypeC-Apple Lightning
Battery Capacity:	51'200mWh
Cigarette Lighter	Yes
Charger Core:	Yes
	Europe



### *Boost in 10 Seconds*

- Runs Your Battery in 10 Seconds

### *Provides Consecutive Reinforcements*

- More than one vehicle according to battery conditions.

### *Charges While You Sleep*

- Fully charges in 12 Hours.

### *10240 mAh – Capacity*

- Starts boosting with 2200A or 10240 mAh power.

### *Indicator Display*

- Find out how much charge is left with five led indicators.

### *Charges with 12v Power*

- Charges with 12v power in 12 hours, consumes electricity optimally.

### *Long Battery Life*

- Average over 400-500 cycles has a long battery life.





# O901-B12X24V5000

## Battery Booster 12X24V 5000A



**Model** O901-B12X24V5000

Voltage:	12-24V
Reinforcement rate:	5000/2500 P.L.E
Internal battery:	2x 22 Ah
Cranking rate:	1700/850 A
Recharge:	230 V
Charging capacity:	12V 4Ah
Charge voltage max.:	14.9V / 25.2V
Battery life (cycle):	400
Number of batteries:	2
Surge protection:	✓
Sealed battery:	✓
ABS shockproof case:	✓
Automatic charger:	✓
Igniter socket cable:	✓
Fuse:	✓
Insulated clamps:	✓
Cable diameter:	50 mm <sup>2</sup>
Length of cables:	165 cm
Dimensions (L x W x H):	32.5 x 19.5 x 43.5
Weight (kg):	17

### ***Boost in 10 Seconds***

- *Runs Your Battery in 10 Seconds*

### ***Provides Consecutive Boosts***

- *It gives the opportunity to boost more than one vehicle according to the battery conditions.*

### ***Dual Battery System***

- *With its dual battery system, it supports much faster and much heavier vehicles.*

### ***2x 22000 mAh – Capacity***

- *Boost with 2x 22ah or 44,000 mAh power starts.*



### ***Innovative Digital Display***

- *Displays the battery charge rate digitally.*

### ***Charges with 12v Power***

- *Charges with 12v power, consumes electricity optimally.*

### ***Long Battery Life***

- *It has an above-average battery life that lasts longer than 400-500 RPM.*

# O901-B12X24V6400T

## Battery Booster Heavy Duty 12X24V 6400A



### Model O901-B12X24V6400T

Voltage:	12-24V
Reinforcement rate:	6400/3200
Internal battery:	12V 33A
Cranking rate:	2340/1170 CA
Recharge:	230 V
Charging capacity:	12V 4Ah
Charge voltage max.:	14.9V / 25.2V
Battery life (cycle):	400
Number of batteries:	2
Surge protection:	✓
Sealed battery:	✓
ABS shockproof case:	✓
Automatic charger:	✓
Igniter socket cable:	✓
Fuse:	✓
Insulated 1000A clamp:	✓
Cable diameter:	50 mm <sup>2</sup>
Length of cables:	218 cm
Reverse polarity audible alarm:	✓
Dimensions (L x W x H):	35 x 32 x 55
Weight (kg):	32.05

### High Amp Power!

- Reinforces heavy vehicle batteries such as Truck-Trailer-Yacht!

### Provides Consecutive Boosts

- It gives the opportunity to boost more than one vehicle according to the battery conditions.

### Dual Battery System

- With its dual battery system, it supports much faster and much heavier vehicles.

### 2x 32000 mAh – Capacity

- Boost with 2x 32ah or 64,000 mAh power starts.





# 0306-AB150

## Battery Powered Tire Inflator 5A - 150 PSI

### Model

0306-AB150

Battery:	28.86 Wh
Work Current:	1-5A
Charging Mode:	Type C
Charging Time:	2 Hours
Max Inflating Pressure:	150 PSI & 10.3 BAR
Operation Temperature:	-10° C - +60° C
Size:	234x57x45 mm
Weight:	470 gr

*Brio Battery Powered Tire Inflator is built for emergencies. It features a built-in LED light at the top for convenient tire inflation in low-light conditions. With high-quality inflator hose, you can enjoy a secure and swift connection without any concerns about air leakage. Thanks to its LED screen, the pressure of the air can be seen. Not for only cars, with this device; bicycles, motorcycles and other things such as balls etc. can be inflated.*



LED Light



234 mm

LED Screen



Mode	Default Value	Pressure Range	Save the Last Settings
Bicycle	45 PSI	3-150 PSI	Yes
Motorcycle	30 PSI	3-150 PSI	Yes
Car	35 PSI	3-150 PSI	Yes
Basketball	8 PSI	3-150 PSI	Yes

## 0306-JGP

### Battery Powered Portable Outdoor Cleaner 8L

#### Model

0306-JGP

Capacity:	32 Litres of Water (18 min) supply
Tank Capacity:	8 Litres
Weight:	2,8 kg
Size:	316x217x270mm
Working Pressure:	5-7 bar
Device Power:	60W
Charger:	5V 3A
Charger Voltage:	100-240Vac
Output Voltage:	12Vdc
Output Current:	0.5A
Frequency:	50-60Hz

- > Adjustable nozzle for spraying or nebulising.
- > The flat jet nozzle allows low pressure and efficient cleaning.
- > Retractable hose reel included.
- > Lithium battery, battery level LED indicator.
- > Integrated water filter.
- > 1 metre USB-C cable included.
- > Spiral hose length: 3 m



Brio Battery Powered Portable Outdoor Cleaner is supposed to spray water under stable pressure. The capacity of the battery is enough to spray up to 32 litres of water to rinse any surface on the cleaning agents previously sprayed (not via this device). Areas of Use: Evaporators, condensers, bikes, motorbikes.



**60W 22V POWER  
THAT CAN SPRAY  
32L WATER  
IN 18 MINUTES!**







## Areas of Use



# O306-IP2000

## Inverter 12v 2000W



*Brio Inverter 12V 2000W is an inverter that offers a solution to most energy needs thanks to its intuitive digital display and 2 European type and one USB type input. It has an LED power light and a remote control input.*





## Model

0306-IP2000

Power:	2000W
Peak Power:	4000W
Output Voltage:	230V
Output Waveform:	Pure Sine Wave
Conversion Efficiency:	≥ 90%
Undercurrent Protection (V):	10.5 ± 0.5V
High voltage protection (V):	15.5 ± 0.5V
High temperature protection (°C):	85 ± 5 °C
Dimensions (cm):	36.3*19*9.8cm
Weight:	3.75 kg



# 0901-BT12V

## Battery Tester Mini 12V



*It is the device used to test batteries & analyzing electrical systems. Can be used for 12V car & motorcycle batteries. Has a lot of features such as fully graphical interface, LCD display and TouchPad with Sensor technology. It can test the following:.*

- > 12V car & motorcycle battery tests:
- > WET, AGM, EFB & GEL Batteries CCA, SAE, EN, IEC, DIN, CA, JIS
- > Starter tests
- > Alternator tests



### *Ergonomically Designed Clamps*

- Thanks to its design:  
It can get into difficult areas.  
It does not harm the material.



### *High Alloy Clamps*

- It is now very easy to hold on to the poles!



### *Integrated Grapples*

- It has copper gears consisting of clamps with internal adapters.



# O901-BT12X24VP

## Battery Tester Digital 12/24V With Printer

*It is the device used to test batteries & analyzing electrical systems. Can be used for 12V/24V car & motorcycle batteries. Has a lot of features such as fully graphical interface, LCD display, integrated printer, TouchPad with sensor technology, memory saving test results and data transfer to PC. It can test the following:*

- 12V car & motorcycle battery tests:
- WET, AGM, AGM Spirals, EFB, CA & GEL CCA, SAE, EN, EN1, EN2, IEC, DIN, CA, JIS
- 12/24V starter tests
- 12/24V alternator tests
- Ground tests



# 0901-BC12X24V7A

## Battery Charger 12X24V 7A



### Model

0901-BC12X24V7A

Battery Voltage:	12V / 24V
Voltage selection:	Automatic
Min-Max capacity of battery for charging:	14-150A(12v) / 14-75A(24v)
Max. battery capacity for maintenance:	225A
Charging current (Amp.):	12V 7A +/-10% / 24V 3,5A +/-10%
Battery types:	WET, MF, GEL, AGM, Ca-Ca
Charging program:	Constant current, constant voltage
IP Protection:	IP65

### *Multi-Purpose Charger!*

It is used to charge the batteries. It has a lot features such as 12V/24V compatibility, memory function, fully interactive, mcu controlled program, fast charging technology, power factor correction, complete protection, being suitable to all types of batteries, protection against abnormal cases, recovery mode, extendable connectors and cold/agm mode. Output power reduces automatically at higher temperatures.





# 0901-MDX315P-1

## Battery Tester With Printer 12V Auto



### *Features*

Quickly and practically tests the starting and charging system voltage and shows the results. It is used to check the battery level. With its integrated printer, it is possible to obtain the results as a hardcopy. Also tests the batteries under 1 volt. It meets with the specifications of multiple evaluation systems (SAE, DIN, EN, IEC). It has reverse polarity protection.

### *Fields of Application:*

Tests multiple battery material structures including standard (water-covered) and AGM. Suitable for CCA batteries from 200 to 900. Tests the 12-Volt battery and electrical system for cars and vans.



# 0901-SBC12V5A

## Battery Charger 12V 5A

Brio Smart Battery Charger is designed for use with virtually any 12V battery. The battery types are compatible with WET, AGM, EFB, VRLA and 12.8V LiFePO<sub>4</sub> Lithium batteries. The charging process is controlled by a microprocessor, which ensures the battery is properly charged and automatically switches to maintenance mode when the battery is fully charged. In this mode, this battery will be protected and will not be overcharged or damaged.

### **Battery types:**

> Compatible with WET, AGM, EFB, VRLA and 12.8V LiFePO<sub>4</sub> Lithium batteries

### **Features:**

- > Multi-stage microprocessor controlled charge
- > Automatic maintenance mode
- > Extends battery life
- > Spark protection
- > Protection for reverse polarity
- > Alternator and battery test
- > Resistance to water and dust
- > Large LCD screen
- > Low energy consumption
- > Compatible with LiFePO<sub>4</sub> lithium batteries and lead acid (AGM, WET, MF and EFB)
- > Fixed eyelet connector for battery and crocodile-type clips

### **Technical Informations:**

- > 12V
- > 5A
- > Min-Max Charging Capacity (Charging) 12-110Ah
- > Min-Max Charging Capacity (Maintenance) 12-160Ah
- > Dimensions: 13x13x5,4
- > Cable Length (cm): 180
- > Unit Weight: 0,7 KG

### **Applications Areas:**

- > Passenger Vehicles
- > Motorcycle
- > Light Commercial Vehicles
- > Small Boats
- > WET, AGM, EFB, VRLA and 12.8V LiFePO<sub>4</sub> Lithium Batteries





# 0901-SBC12V24V15A

## Battery Charger 12V-24V 15A

*Brio Smart Battery Chargers are designed for use with virtually any 12V and 24V battery. The charging process is controlled by a microprocessor, which ensures the battery is properly charged and automatically switches to maintenance mode when the battery is fully charged. In this mode, this battery will be protected and will not be overcharged or damaged.*

### **Battery types:**

> Compatible with WET, AGM, EFB, VRLA and 12.8V LiFePO<sub>4</sub> Lithium batteries

### **Features:**

- > Multi-stage microprocessor controlled charge
- > Automatic maintenance mode
- > Extends battery life
- > Spark protection
- > Protection for reverse polarity
- > Alternator and battery test
- > Resistance to water and dust
- > Large LCD screen
- > Low energy consumption
- > Compatible with LiFePO<sub>4</sub> lithium batteries and lead acid (AGM, WET, MF and EFB)
- > Fixed eyelet connector for battery and crocodile-type clips

### **Technical Informations:**

- > 12/24V
- > 15A
- > Min-Max Charging Capacity (Charging) 24-300Ah
- > Min-Max Charging Capacity (Maintenance) 24-500Ah
- > Dimensions: 19x19x7,5
- > Cable Length (cm): 180
- > Unit Weight: 1,5 KG

### **Application Areas:**

- > Automobile
- > Minibus
- > Boat
- > Truck etc.
- > WET, AGM, EFB Start Stop, VRLA and 12.8V LiFePO<sub>4</sub> Lithium Batteries



# 0901-DCA8000PKIT

## Battery Test And Charging System Set With Printer



- > *Advanced diagnostic charging system featuring breakthrough core technology*
- > *Diagnoses most batteries in 2 minutes or less*
- > *Charges as fast as possible through continuous battery monitoring*
- > *Delivers the most accurate battery diagnostic technology*
- > *Detects battery failures due to advanced vehicle electronics*
- > *Supports automated over-the-air software updates and data analytics*
- > *Enhances productivity via intuitive touchscreen user interface*



**Features:**

- › *Dynamic charge acceptance*
- › *Optimized charging*
- › *Configurable minimum / maximum voltage output  
in manual charge mode: 12.0 – 14.4 VDC in 0.1 V increments*
- › *Improved charge time calculation*
- › *Up to 500A load*
- › *Dual temperature sensors*
- › *Cold battery charging*
- › *Field-replaceable cables*
- › *Corded and wireless barcode scanner options for vin capture*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Led Lamps





# O306-P2000

## Led Battery Powered Lamp Premium Day Light 7+1



### Model

O306-K2000

Lumens(Main Light)	90 lumens
Lumens(Spot Light)	50 lumens
CNT	6000
Operation Hour	5-6 hr
Charging Hour	2-3 hr
IP Protection	IP 20
Battery	3.7V/800mAh
Battery Type	Li-ion Battery
Dimensions	Ø23*171 mm
Net Weight	55 gr
Cable	Usb C Charging Cable, 1.2m
Charging	5V 1A
Design	Dual Lamp Pen Design
Hook	Clips
Magnet	Yes

### Compact Size

- Fits in T-shirt, shirt, trouser pockets.
- It weighs 55gr.
- It has a length of 17 cm

### Magnets

- There is a strong magnet on the back of the clip.
- Allows hands-free operation.

### Spot Light

- 50 Lumen spot light.
- Optionally, the spot feature can be used.



### Pocket Clip

- Kolayca cepte taşınabilir tasarım.

### Black-Red

- Brio colors black and red will suit you very well.

### IP20 Protection

- It has IP20 protection tested against solid particles larger than 12.5 mm.



# 0306-K2000

## Led Battery Powered Lamp Pocket Delux



### Model

0306-K2000

Lumens(Main Light)	250 lumens
Ray Angle	120°
CNT	6000
Operation Hour	2.5 hr
Charging Hour	3.5 hr
Battery	3.7V 1200 mAh
Battery Type	Li-ion Battery
Dimensions	130x67x28 mm
Net Weight	180 gr
Cable	Micro Usb charging cable, 1m
Charging Device	5V 1A
Design	330° turnable
Hook	Yes
Magnet	Yes
Led Type	SMD Led Technology



### *On-Off Button*

- On/off button on top  
Turning on 250 lumens of light or  
used to close.

### *SMD Led Technology*

- Refined optical solution.

### *Charging Led*

- Red: Charging
- Green: Fully Charged

### *Belt Clip*

- Portable and compact design.





# 0306-Z3601


## Led Battery Powered Hand Lamp Superlux



### Model

0306-Z3601

Main Light	500-250 lm
Spot Light	150 lm
Light Color	6000 k
Working Hour	3 hour
Battery Power	3.7V / 2600 mAh
Charging Time	1 hour
IP	54
Magnet	Strong Magnet
Dimensions	170x50x25 mm
Weight	182 g



# 0306-F2100

## Led Battery Powered Lamp Premium



### Model

0306-F2100

Light Source	COB
Lumens	1000/500 lumens
Light Angle	120°
CCT	6000K
Working Hour	3/6s
Charging Hour	4.5s
IP	IP 68
IK	IK 09
Battery	3.7V 4400mAh (standard)
Dimensions	145*100*45 mm
Net Weight	385g

### Powerful Li-Ion Battery

- 3.7V/4400mAh

### Multifunctional On/Off Button

- Switch between different brightness.

### USB Charging Dock

- Micro USB or USB-C

### Rotatable Elbow

- Strong Magnet
- can rotate 210 degrees
- Universal M8 Mount



### New Led Technology

- It is produced with COB Led technology that provides 500-1000 Lumen brightness adjustable

### Protection with In-Mold Design

- Provides protection in accordance with IP 68 and IK09 Standards.
- Strong body protects against vibration and shocks

### Strong Elbow Magnet

- Elbow magnet provides easy working in difficult working areas.



# 0306-T3000

## Led Battery Powered Lamp Neck&Head



### Model

0306-T3000

Lumens (Main Light)	150-15 lumens*2
CCT	6000K
Operation Time	2-8 hours
Charging Time	2 hours
Battery	3.7/700mAh
Charging Device	5V 1A
IP	65
IK	07
Net Weight	230 g
Cable	USB-C cable

### 360° Rotatable Design


- 360° freely rotating design provides a perfect lighting angle.

### Lighting Area

- 150 lm output for each light, 300 lm total to illuminate your work area

### Environmental Design

- With dimming switch for Eco-design.



### • Charge Time

- Do not leave the battery completely discharged, charge the battery for at least

### • LED

- Suitable for neck or head. It has 2 lamps, each of 150 lumens.

### • Daily Use

- It is suitable for daily workshop use.

# O306-GT200

## Led Battery Powered Lamp Slim Head 450lm



### Model

O306-GT200

Lumens (Main Light)	450 lm
Spot Light	150 lm
Flood Light	50-350 lm
Spot+Flood Light	35-350 lm
CCT	2500-6800
Flood Light Working Hour	4-18 hour
Spot Light Working Hour	8 hour
Flood+Spot Light Working Hour	2,5-6 hour
Charging Time	2,5 hour
IP	65
IK	07
Battery	3.7V/2000mAh



*Comfortable Use*



*Hard Conditions, Easy Use*



*At Your Help in  
Challenging Areas*





# O306-Z3100

## Led Battery Powered Ultra Slim Lamp



### Model

O306-Z3100

Lumens (Main Light)	1000-100 lumens
Ray Angle	120°
Lumens (Spot Light)	150 lumens
CNT	6000
Operation Hour	1,5-8 hr (2600mAh)
Charging Hour	3 hr (2600mAh)
IP	IP65
IK	IK 07
Battery	2600mAh battery (standard)
Dimensions	362x51x65 mm
Net Weight	260 gr
Cable	Type-C charging cable, 1m
Charging Device	5V 1A

### Dual Function Display


- Data Output Indicator
- Power On – Battery Status
- Adjustment feature brightness level
- Charging Indicator

### Dual Function Display

- Stepless dimming feature.

### On-Off Button

- Click and hold to turn the lamp on/off. (Gives 50% brightness as the first feature.)



### 120° Rotatable Design


- Swivel head for 120° multi-angle illumination.

### 9mm Ultra Thin Aluminum Bar

- Ultra-thin design allows lighting in inaccessible places.
- Strong body and good heat dissipation.

### Stable Base Design

- Magnet fixes the fixed base stand feature.



# 0306-K3100

## Led Battery Powered Flexible Pocket Delux



### Model

0306-K3100

Light Source	COB LED
Light Color	6000 K
Main Light	300-30 lm
Working Hour	Ana I. 3-12, Spot I. 7 saat
Battery Power	3.7 V 2000 mAh
Charging Time	3,5 saat
IP	65
IK	06
Dimensions	135x64x30
Weight	196 kg

### Dim Feature

Can be adjustable between 30 and 300 lumens.

### Hands-free

- It has a magnetic ground to be able to hands-free usage.

### 360° Rotation

- 300 mm hose design provides 360° rotation for deep and tight spaces and acts as a bracket.



IP 65 Protection



At Your Help in Difficult Areas



IK06



Ergonomical Grip



# 0306-CM800

## Led Charged Lamp Color Match Daylight



### Model

0306-CM800

Led:	10 W High Power COB
Flaslight:	395 Nm UV
Lumens:	800 Lumens
Led Color Temperatures:	2700K-4500K-6500K
CIR Rating:	95
Ambient Temperature:	-10° to +45°C
Period of use:	Main front approx. 3-24 saat
Flaslight:	approx. 12h
Charging time:	about 5h
Protection class:	III



### • *Battery Life*

- The lamp should be charged every 3 months to preserve battery life.

### • *LED*

- Press 1x: LED on the front lights up at 2700K.
- 2x: Front led lights up at 4500K
- 3x: Front led lights at 6500K
- 4x: LED lights
- 5x: LED blows out.

### • *Daily use*

- It is suitable for daily workshop use.
- It is designed for use in paint shops.

# 0306-C2110

## Extendable Aluminum Under Hood Light



### Model

0306-C2110

Main Light:

1000/500 Lumen

Charging Time:

4.5 hours

Usage Time

3/6 hours

HR

07

IP

65

CCT

6000K

Battery Power

3.7V / 4400mAh

Dimensions

1153x67x80 mm


Weight

805 gr





**Hood Pads:** Full protection to the paint, thanks to 360 degree rotatable hood pads on the edges.



**Led Battery Indicator:** Indicates battery with led battery indicator.



**Extendable use:** It can be extended to different lengths from 1153 mm to 1820 mm.

**Aluminium Body:** With IP65 Water and dustproof; IK07 shockproof certificate it provides safe usage against drops and damages.

Brio Extendable Aluminum Underhood Light has a flexible hook that provides a very good angle of light. It can be extended to different lengths from 1153 mm to 1820 mm. Thanks to its aluminum body, it offers an extremely shiny appearance and provides resistance to corrosion. It protects the matte paint on the hook tip from scratches. The battery power indicator shows the battery level. It has IP65 water and dust resistance certification.



# BRIO

[www.brियोeurope.com](http://www.brियोeurope.com)

## Pneumatic Devices





# 1404-BP121400

## Pneumatic Impact Wrench 1/2 1400 Nm Jumbo Hammer

1,21 KG

Model 1404-BP121400

Free Speed (RPM):	10.000
Anvil Size Inches (mm):	1/2 (13)
Loosening Torque Max. Nm:	1400
Maximum Torque Working Nm:	949
Working Torque Range Nm:	34-475
Air Intake (NPT):	1/4"
Hose Size ID Inches (mm):	3/8 (10)
Average Air Consumption CFM (L/Min):	4.9 (139)
Length Inches (mm):	4,7 (120)
Weight Kg:	1,21

### Jumbo Hammer

- 13mm - 1/2" Anvil Length
- Deformation-Proof Head

### Adjustable Airflow

- Torque adjustment feature for desired tightening and unscrewing force.

### Diamond Patterned Non-Slip Handle

- Rubber with ergonomic design anti-vibration handle.
- Red-Black Brio original design.

### One-Click Mount and Demount

- 1400 NM Removal Force
- 1000 Minutes of Revolution

### Air Intake

- 1/4 NPT Air inlet.
- 139L Air Consumption Per Minute

### Filtered Air Outlet

- Special filter for dust, noise and quality of outgoing air.

# 1404-BP121950

## Pneumatic Impact Wrench 1/2 1950 Nm

### Double Hammer



2,16 KG

Model	1404-BP121950
-------	---------------

Free Speed (RPM):	8.600
Anvil Size Inches (mm):	1/2 (13)
Loosening Torque Max. Nm:	1950
Maximum Torque Working Nm:	1329
Working Torque Range Nm:	95-936
Air Intake (NPT):	1/4
Hose Size ID Inches (mm):	3/8 (10)
Average Air Consumption CFM (L/Min):	6.5 (184)
Length Inches (mm):	7.4 (188)
Weight Kg:	2,16

**Double Hammer**

- 13mm - 1/2" Anvil Length
- Deformation-Proof Head




**Adjustable Airflow**

- Torque adjustment feature for desired tightening and unscrewing force.




**Red Black Brio Design**

- Rubber with ergonomic design anti-vibration handle.
- Red-Black Brio original One-Click Mount and design.




**One-Click Mount and design. Demount**

- 1950 NM Removal Force
- 8600 Revolutions Per Minute



**Filtered Air Outlet**

- Special filter for dust, noise and quality of outgoing air.



**Air intake**

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute





# 1404-BP121950

## Pneumatic Impact Wrench 1/2 1950 Nm

### Double Hammer



#### Model 1404-BP121950

Free Speed (RPM):	8.600
Anvil Size Inches (mm):	1/2 (13)
Loosening Torque Max. Nm:	1950
Maximum Torque Working Nm:	1329
Working Torque Range Nm:	95-936
Air Intake (NPT):	1/4
Hose Size ID Inches (mm):	3/8 (10)
Average Air Consumption CFM (L/Min):	6.5 (184)
Length Inches (mm):	7.4 (188)
Weight Kg:	2,16

#### Double Hammer

- 13mm - 1/2" Anvil Length
- Deformation-Proof Head




#### Adjustable Airflow

- Torque adjustment feature for desired tightening and unscrewing force.




#### Red Black Brio Design

- Rubber with ergonomic design anti-vibration handle.
- Red-Black Brio original One-Click Mount and design.



#### One-Click Mount and design. Demount

- 1950 NM Removal Force
- 8600 Revolutions Per Minute



#### Filtered Air Outlet

- Special filter for dust, noise and quality of outgoing air.



#### Air intake

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute



# 1404-BP341950

## Pneumatic Impact Wrench 3/4" 1950 Nm

### Double Hammer

---



**2,21 KG**

#### Model 1404-BP341950

Free Speed (RPM):	8.600
Anvil Size Inches (mm):	3/4 (19)
Loosening Torque Max. Nm:	1950
Maximum Torque Working Nm:	1329
Working Torque Range Nm:	95-936
Air Intake (NPT):	1/4
Hose Size ID Inches (mm):	3/8 (10)
Average Air Consumption CFM (L/Min):	6.7 (190)
Length Inches (mm):	6.9 (174)
Weight Kg:	2,21

#### Jumbo Hammer

- 19mm - 3/4" Anvil Length
- Deformation-Proof Head



#### Adjustable Airflow

- Torque adjustment feature for desired tightening and unscrewing force.



#### Red Black Brio Design

- Rubber anti-vibration handle with ergonomic design.
- Red-Black Brio original design.




#### One-Click Mount and Demount

- 1400 NM Removal Force
- 1000 Minutes of Revolution



#### Filtered Air Outlet

- Special filter for dust, noise and quality of outgoing air.



#### Air Intake

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute





# 1404-BP342034

## Pneumatic Impact Wrench 3/4" Long Pass 2034 Nm Double Hammer



4,04 KG

### Model 1404-BP342034

Free Speed (RPM):	5500
Anvil Size Inches (mm):	3/4 (19)
Maximum Torque Working Nm:	2034
Working Torque Range Nm:	271-1627
Air Intake (NPT):	3/8"
Hose Size ID Inches (mm):	1/2 (13)
Average Air Consumption CFM (L/Min):	7 (198)
Length Inches (mm):	14.7 (373)
Weight Kg:	4,04

#### Double Hammer Long Pass

- 25.4mm - 1" Anvil Length
- 5500 Minutes of Revolution

#### Adjustable Airflow

- Torque adjustment feature for desired tightening and unscrewing force.

#### Diamond Patterned Non-Slip Handle

- With its ergonomic design, diamond patterned handle that fully grips.
- Red-Black Brio original design.

#### One-Handed Comfort

- 2034 NM Removal Force
- One-Handed Forward-Backward Operation

#### Air intake

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute

#### Filtered Air Outlet

- Special filter for dust, noise and quality of outgoing air.

# 1404-BP12034

## Pneumatic Impact Wrench 1" Long Pass 2034 Nm Double Hammer



4,42 KG

Model

1404-BP12034

Free Speed (RPM):	5500
Anvil Size Inches (mm):	1 (25,4)
Maximum Torque Working Nm:	2034
Working Torque Range Nm:	271-1627
Air Intake (NPT):	3/8"
Hose Size ID Inches (mm):	1/2 (13)
Average Air Consumption CFM (L/Min):	7 (198)
Length Inches (mm):	15 (381)
Weight Kg:	4,42

### Double Hammer Long Pass

- 25,4mm - 1" Anvil Length
- 5500 Minutes of Revolution



### Adjustable Airflow

- Torque adjustment feature for desired tightening and unscrewing force.



### Diamond Patterned Non-Slip Handle

- With its ergonomic design, diamond patterned handle that fully grips.
- Red-Black Brio original design.




### One-Handed Comfort

- 2034 NM Removal Force
- One-Handed Forward-Backward Operation



### Filtered Air Outlet

- Special filter for dust, noise and quality of outgoing air.



### Air Intake

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute





# 1404-BP13390

## Pneumatic Impact Wrench 1" 3390 Nm Double Hammer



10,9 KG

Model

1404-BP13390

Free Speed (RPM):	5.000
Anvil Size Inches (mm):	1 (25,4)
Maximum Torque Nm:	3.390
Working Torque Range Nm:	542-2.441
Air Intake (NPT):	1/2"
Hose Size ID Inches (mm):	1/2 (13)
Average Air Consumption CFM (L/Min):	9,7 (275)
Length Inches (mm):	18,7 (476)
Weight Kg:	10,9

### Double Hammer

- 25,4mm - 1" Anvil Length
- One-Handed Forward-Backward Operation

### Ergonomic Internal Trigger

- Perfect distribution of power and Internal trigger mechanism for ease of grip.

### Composite Exterior

- Robust composite outer structure suitable for professional uses.

### The Strongest of the Pneumatics

- 3390 NM Removal Force
- 5000 Minutes of Revolution

### Air Intake

- 1/4 NPT Air inlet.
- 184L Air Consumption Per Minute

### Additional Support Arm

- Extend the power with the additional support arm.
- Red-Black Brio original design.

# 1404-CAP

## Pneumatic Injector Puller

---



### *Scope of delivery*

- 1x Brio Pneumatic Injector Puller
- 1x extension for removal of injectors
- 19x adapter
- Compressed air extraction tool for injectors and glow plugs
- 1x extension for removal of injectors
- Used to remove stuck injectors and glow plugs without the need for a model-specific tool
- This set includes various adapters and has wide compatibility with Bosch, Delphi, Denso and Siemens diesel injectors
- It is not necessary to use any hammer
- Includes various adapters; **M8x1.0, M8x1.25, M8x1.5, M14x1.5, M16x1.5, M17x1.0, M18x0.75, M18x1.5, M20x1.0, M20x1.5, M22x1.5, M25x0.5, M25x1.0, M26x0.75, M27x0.75, M27x1.0, M29x1.0, M31x0.75.**



# 1404-650

## Compressed Air Hose 15M 8x12 MM

---



*The Brio Air Hose is a 10 - 15 meter long air hose.  
Due to its reel, it remains in bulk when it is used.*



# 1404-AH10M

## Air Hose 10M 6x12 MM

---

- Compressed air hose
- Connector 6.3 mm 1/4 inch
- Inside diameter 6 mm
- Outside diameter 12 mm
- Operating pressure max. 20 bar (290 PSI)
- PVC hose



## 1201-02-SH8X12-7M

### Air Spiral Hose Pu 8x12 7,5m

---

## 1201-02-SH8X12-15M

### Air Spiral Hose Pu 8x12 15m

---

*These are the 7,5 - 15 meter long compressed air hoses. Due to their helix shape, they automatically turn back into their primary position and remain*



## 1201-02-DSH5M-BY

### Air Spiral Hose Pu 8x12 5m Dorse Black-Yellow

---

## 1201-02-DSH5M-BR

### Air Spiral Hose Pu 8x12 5m Dorse Black-Red

---

*Brio Trailer Truck Air Spiral Hose is produced for creating a connection between heavy duty vehicles and their trailers. Dimensional sizes of the hoses are designed perfectly to control the compressed air precisely. It provides perfect connection for air operated truck and trailer systems.*





## 1201-02-DSH5M-Y Air Spiral Pu 8x12-5M Yellow

---

## 1201-02-DSH5M-R Air Spiral Pu 8x12-5M Red

---



## 1201-AGP Mini Blow Gun Plastic

---

*Its portable size and ergonomic design make it easy to use and carry. It has strong blowing capacity and low power consumption. It has a long serving life and is durable.*



## 1404-AC Pneumatic Axle Boot Changer Device 20-110 MM

---

- *It works clean and fast with compressed air.*
- *It easily expands without using tools.*
- *Suitable for all universal axle bellows with a maximum diameter of Ø 115 mm and all joints with a maximum diameter of Ø 110 mm.*
- *It does not require maintenance.*
- *Working pressure: 8 bar*
- *Size: 460x140x140*
- *Weight: 2.3 kg*



## 1404-MO Conditioner Mini

---

*Mini adapter for pneumatic tools.*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## General Chemicals





# O101-HLS400

## Liquid Grease Lubricant Spray 400 ML

---



*High-polymer, grease with synthetic gasoline. Solvent immediately evaporates and lubricant rapidly clings on the application area. It is used to lubricate components which are exposed to high pressure, impacts and vibrations. Avoids rust and oxidation. Provides effective protection against corrosion. Resistant to water, salt water, a variety of solutions, acids and the temperatures from -10°C to 140°C.*

**Fields of Application:** Door bolts, gears, sprockets, chains, wire ropes, runners, tie-rod heads, roller bearings, axles, etc.

# O101-TDS400

## Ptfe Dry Lubricant Spray 400 ML

---



*Brio PTFE Dry Lubricant Spray is a PTFE-containing colourless, anti-dust, lubricating lacquer spray. It clings to the external surfaces, prevents friction, abrasion and oxidation. Due to its high-pressure resistant formula, it is resistant to extreme temperatures. This product is silicone-free.*

**Fields of Application:** Can be used on guide rails, hinges, rail systems of drawers, sliding ceilings, telescopic sliders etc.

# 0101-WLS400

## White Grease Spray With Lithium 400 ML

---



*White grease spray is used for lubrication and protection of mechanical parts of ships, boats and fishing materials. It can be used to prevent oxidation of the parts that are constantly exposed to bad weather conditions. It is resistant to water, salt water and extreme weather conditions.*

**Fields of Application:** Can be used for lubricating the mechanical parts of the ship, boat and fishing materials, motor chain, forklift, moped, parts of the electric saw, door hinges, curtain rails, latches, shaft bearings etc.

# 0101-PTFE400

## Dry Lubricant Spray PTFE 400 ML

---



*It creates a lubricating transparent film that prevents dirt from depositing. Particularly suited for the lubrication of parts subjected to high pressure. It prevents rubber parts from freezing and corrosion by salt water. It prevents short-circuits and malfunctions caused by humidity in electrical conductors. It eliminates squeaking, water repellent, and silicone-free. It also facilitates the insertion of cables and cords inside sheathes. Commonly used for the maintenance of tools, gaskets and seals, door hinges and locks. High temperature resistant (250°C / 482°F).*



## 0101-RL400

### Rust Remover MoS2 Spray 400 ML

---



*Rust Remover MoS2 Spray does not only penetrate the material, but it also solves rusts on a basis. Solves the resistant rust compounds, tar stains, gummy grease residues and other dirt. It also degreases sticky, tight hinges, chain links etc. Prevents squeaking. Not harmful to plastics..*

**Fields of Application:** *Used for screws, hinges, bolts and nuts, in specific fields of mechanical engineering and industry, and motor vehicle sector. Lubricates the specific metal parts, loosens the stuck parts and removes the water from the surface.*

## 0101-SS400

### Silicone Spray 400 ML

---

## 0101-SS500

### Silicone Spray 500 ML

---



*It lubricates, protects, cleanses, reduces friction, removes static electricity and prevents corrosion, rust and freezing. It helps to remove the moisture from metal surfaces and electrical switches. Provides glossy finish on plastics and rubber surfaces.*

**Fields of Application:** *Maintains and protects rubber plugs, rubber bumpers, tires, cooling canals, vehicle cockpits, seat slides and ceiling runners, electrical ignition mechanisms etc.*

## 0101-FLS500

### Silicone Spray Treadmill Lubricator 500 ML

---



*It lubricates, protects, cleanses, reduces friction, removes static electricity and prevents corrosion, rust and freezing. It helps to remove the moisture from metal surfaces and electrical switches. Provides glossy finish on plastics and rubber surfaces.*

**Fields of Application:** Maintains and protects rubber plugs, rubber bumpers, tires, cooling canals, vehicle cockpits, seat slides and ceiling runners, electrical ignition mechanisms etc..

## 0101-GUM400

### Tire Care Refreshment Spray 400 ML

---



*It is very important to take care of the tires between the doors so that the doors of your vehicle can be closed and opened easier. Tire care spray is perfect against flexing due to heat in summer and cracking of door seals in winter due to cold. It is suitable for cleaning and maintenance of door, trunk, hood areas, rubber mats or tires on pedals in areas like passenger cars, heavy vehicles and buses, etc. It prevents the tires from wearing, aging, freezing and refreshes their color. It prevents the tires from cracking in the cold in winter. It prevents the tires from flexing in the hot summer. It does not damage the painted and chromed areas. It does not contain silicone.*



## O101-BR40-200

### Universal Spray 200 ML - 400 ML

---



*Cleans, penetrates, solves adhesives, loosens extremely difficult stains and solves rusty parts. Penetrates deep into rusted surfaces and loosens. It easily penetrates, spreads and clings to surfaces. Penetrates to the narrow and congested surfaces and protects against external factors. Keeps the water and moisture away.*

**Fields of Application:** *Used as a water repellent where undesired water and moisture might disturb the workflow such as in automotive and shipbuilding industry, electrical contacts, and engines. Protects against corrosion. Eliminates squeaking noises and provides silence.*

## O101-KLS500

### Forklift and Chain Lube Spray 500 ML

---



*It is a high-polymer grease with synthetic gasoline lubricator. Its solvent immediately evaporates and rapidly clings on the application area. It is a performance strengthening, concentrated lubricating spray. It is used to lubricate components which are exposed to high pressure, impacts and vibrations. Prevents rust and oxidation. Provides adequate protection against corrosion. Resistant to water, salt water, a variety of solutions and acids.*

**Fields of Application:** *Can be used in mechanisms such as motorcycle and bicycle chains, wire ropes, chain ropes, open gear wheels, sliding runners.*

## O101-EGR400

### Egr Valve Cleaning Spray 400 ML

---



*Brio EGR Valve Cleaning Spray due to its optimal formula it provides effective cleaning of air intake components of diesel engines. It dissolves and removes all undesired deposits such as oil, soot, glue, dirt and residues. Ensures the efficient operation of moving parts and reduces fuel consumption. Increases the operational safety of diesel fuel engines.*

**Fields of Application:** *It is used for cleaning; air intake systems of diesel engines, air flow sensors, intake manifolds, intake valves, EGR valves and turbo systems.*

## O101-CUP1000

### Copper Paste 1000°C 1 L - 900 GR

---



*This grease has special anti-corrosive properties; it's a perfect lubricant for situations where high temperature is present: it resists until 1000°C, and it prevents episodes of blocking. COPPER GREASE – This product is made of superfine foliated copper particles and special corrosion inhibitors. It has protective and lubricating properties at high temperatures. High-temperature resistance to 1000 °C/1832°F. High adhesive capacity and anti-corrosion capacity make it ideal for all cases where heat or a highly corrosive environment can create irreversible blocks: slip, ring, pins, motor, exhausts, electrical, contacts, threaded connections, injection valves, etc.*



## O101-BC460 Drilling&Cutting Oil 460 ML

---



*Brio Drilling & Cutting Oil is a low viscosity lubricant, formulated with active sulfur-containing sulfurized ester and high-pressure additives. It can be used in industrial cutting and cold forming processes. It reduces friction on all metals, reduces the heat caused by friction and provides protection against corrosion and oxidation. It provides excellent cutting performance, especially in hard steels. Due to high lubricative capacity, it extends the drill and tools life.*

**Fields of Application:** Suitable for all metals except gold and copper. It prevents reaming and it can be used for threading, drilling and broaching.

## O101-GS200 Gun Care Cleaning Lubrication Set

---



*The Brio Gun Maintenance & Protection Set is a cleaner, lubricant and protective spray set that provides effective lubrication of weapon components and extends the period of periodic maintenance. It contains the lubricating and cleaning spray you need for your gun maintenance. A microfiber cloth is included in the set for wiping. It also acts as a rust inhibitor as it is moisture and water repellent. It does not contain harmful substances that will react with the weapon mechanism and ammunition capsule. It is used in the maintenance, lubrication and cleaning of weapon mechanisms.*

## 0102-LR200

### Label Remover Spray 200 ML

---



*Brio Label Remover Spray due to its special formula, it helps to solve labels and their adhesives from the surfaces. The non-corrosive product does not leave any stain or residue on the surfaces after application.*

**Fields of Application:** Can be used to remove stickers and adhesives from non-porous hard surfaces.

## 0102-BR500

### Brake and Clutch Cleaner Spray 500 ML

---

## 0102-BR5000

### Brake and Clutch Cleaner Liquid 5 L

---

## 0102-BR30000

### Brake and Clutch Cleaner Liquid 30 L

---

## 0102-BR60000

### Brake and Clutch Cleaner Liquid 60 L

---



*Brio Brake and Clutch Cleaner efficiently cleans dust and grease residues from all the brake parts. Cleans brakes and clutch components; provides excellent traction on brake and clutch linings. It helps cleaning brake units and decreases the noise caused by brake parts.*

**Fields of Application:** This product can be used for; drum and disk brakes, brake linings, blocks, drums, disks and brake components, clutch linings and pressure plates, and clutch components in general.



## 0102-GC500

### General Cleaner Spray 500 ML

---



*Cleans the brakes and clutch parts, increases the grip of the brake and clutch linings, and removes the brake and clutch-related sounds.*

**Fields of Application:** Can be used on cleaning the drum and disk brakes, brake linings, blocks, drums, disks and brake components, clutch linings, pressure plates, and clutch components in general.

## 0102-DPF500

### Dpf Cleaning Spray 500 ML

---



*DPF Cleaning Spray is a very effective cleaning-agent for loosening carbon and ash deposits in diesel particulate filters. Due to the cleaning and maintaining process it prolongs the filter lives of the vehicles.*

**Fields of Application:** Can be used for cleaning and maintaining the diesel particulate filters of diesel type vehicles.

## 0102-CC400

### Throttle Valve Cleaning Spray 400 ML

---



*Throttle Valve Cleaning Spray is specially produced for cleaning and maintaining the internal and external parts of the carburetors, suction flaps and idle valves. The lubricating feature of the product allows cleansed and maintained parts to perform effectively.*

**Fields of Application:** Can be used as a cleaning spray to remove oil and gasoline residues during service care, fitting, and industrial processes; to clean carburetors, throttle valves, suction flaps and idle valves.

## 0102-IR400

### Stainless Steel Cleaning Spray 400 ML

---



*Stainless Steel Cleaning Spray is a corrosion resistant steel coating and care spray which perfectly clings on any metal surface. Provides extra glossy look, creates impact and scratch resistant layer over applied surfaces. Its layer protects the surface against dense chemicals such as diluted acids, sodium hydroxide and gasoline.*

**Fields of Application:** Can be used on any stainless steel and metal surfaces.



## 0102-KS200 Contact Spray 200 ML Oil

---



*Brio Contact Spray is a general purpose maintenance spray. It is used for cleaning, lubrication and maintenance of contacts and electronic parts. It effectively cleans and lubricates applied surfaces. Due to its water-repellent properties, it prevents the formation of rust and oxidation, and it does not leave any chemical waste on applied surfaces.*

**Fields of Application:** *It is used for maintenance, cleaning and lubricating of contacts, electronic devices and parts.*

## 0102-ES200 - 0102-ES400 Electronics 400-200 ML (Oil Free)

---



*Electronics Spray solves dried connection oil residues by effectively eliminating the oxidised and sulfurised layers from surfaces. Avoids ignition problems and reduces moisture. Provides corrosion resistant layers on applied surfaces.*

**Fields of Application:** *Can be used on sensitive electronic materials such as electrical contacts, circuits, ignition systems, plugs, relays, circuit parts and bulb sockets.*

## 0102-GS400

### Silicone Seal Scraper Spray 400 ML

---



*BRIO Gasket Cleaner Spray is an effective solvent spray that helps cleaning the sealing materials, glue, paint, gasket and gasket residues from metal surfaces.*

**Fields of Application:** *Can be used on metal surfaces and gasketing applied engine parts.*

## 0102-MR400

### Engine Cleaner Spray 400 ML

---



*Due to its solvent-containing formula, BRIO Engine Cleaner Spray penetrates well and thoroughly cleans any dirt, grease, dust, label and adhesive residues on the engine. Provides the engine run smoothly for a long time. It does not leave any residue on its surface due to its non-foaming formula. It is easy to use.*

**Fields of Application:** *Can be used for all types of engines.*



0102-SC500

## Waterproof Clothing Seat Shoe Protection Spray 500 ML

---



Protection against humidity and bad weather is easy with Brio Waterproof Spray. It provides durable protection to multiple surfaces and materials. This product does not leave trace of odor or color after use. It also creates a protective barrier against water-based stains and oily liquids. It is protective, prevents moisture, makes most materials water repellent and water proof when used. It is an excellent waterproofing product with numerous functions.

**Fields of Application:** Ideal for protecting items: jackets, backpacks, outdoor furniture, leather, suede, boots, bags, etc. It can be used in the household items, marine and sporting goods industries.

0102-MHCG200

## Motorcycle Helmet & Visor Cleaner 200 ML

---



Brio Motorcycle Helmet & Visor Cleaner is a cleaning spray produced to remove dust, dirt, oil, soot, pest, and residue from the helmets and visors. Thanks to the substances that make up the mixture, it can be used safely in the interior surfaces. It is an easy-to-use product. After usage, it provides a clear sight.

**Fields of Application::** It can be applied on the outer surfaces of helmets exposed to dust, dirt, oil, soot and pest stains.

## O102-TP400

### Tyre Polisher Spray 400 ML

---



*Brio Tyre Polisher Spray is a general purpose cleaning spray used for deep cleaning of dirt, dust and oil on the tyres. Extends the service life of the tyre. Gives tyres a glossy appearance. It is not corrosive, and it prevents oxidation. Easy to apply, adequate for a long time.*

**Fields of Application:** Suitable for all types of tyres.

## O102-TRS400

### Tar Cleaner Spray 400 ML

---



*Brio Tar Cleaner Spray is a general purpose cleaning spray for dust, dirt, oil and tar residues attached on to the vehicle surfaces. The mixture is non-corrosive for the exterior parts of the vehicle, and it prevents rust and oxidation. It is easy to use.*

**Fields of Application:** It can be applied on outer surfaces of vehicles which are exposed to dust, dirt, oil and tar stains.



0102-SC1000

Super Cleaner Oil Remover 1 L

---

0102-SC5000

Super Cleaner Oil Remover 5 L

---

0102-SC20000

Super Cleaner Oil Remover 20 L

---



*Brio Super Cleaner is a special two-component alkaline solvent for cleaning very dirty or greasy surfaces. It is effective on all types of dirt, Brio Super Cleaning dissolves even the most stubborn oily dirt. This product, which enables you to get effective results even with brushless cleaning, it easily dissolves oil, grease and other stubborn dirt residues accumulated on the surfaces.*

**Fields of Application:** *It can be used in vehicles, motorcycles, engines, fiberglass parts, tarpaulins, hand tools, hoods, kitchen equipment, glazed tiles, tiles etc.*

0102-HC500P  
Hand Cleaner 500 ML

---

0102-HC1000P  
Hand Cleaner With Pump 1 L

---

0102-HC3000P  
Hand Cleaner With Pump 3 L

---

0102-HC4000P  
Hand Cleaner With Pump 4 L

---



*BRIO Hand Cleaner is a hand cleansing product that provides easy cleaning for all dirt consisting of residues of heavy oil, soot, tar, adhesives, and residues of similar materials with its fragrant formula. Due to its protective and nutritional formula, it provides effective cleaning without irritating the hands.*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Industrial Paint and Insulation Products



## 0110-IS400-1

### Inox Spray Bright 400 ml

---



*Brio Inox Spray provides corrosion resistance on Inox Spray covered surfaces. Can be used where durability and effective protection is required. Suitable for all surfaces. It has a fast drying structure and corrosion resistance. Inox Spray Covered surfaces have a higher durability against the extreme weather conditions.*

**Fields of Application:** *Can be used to repair damaged stainless steel parts and in outdoor applications. It can also be used for decorative purposes and for the optical refinement of glass, wood, stone, ceramics and most plastics. Provides resistance for corrosion and rust over metal and steel surfaces.*

## 0110-ZS400

### Zinc Spray Pro 400 ml %98 Zinc

---

## 0110-LZ400

### Zinc Spray Pro 400 ml Light

---



*Strongly adheres to the metal surface and provides a long term protection. It also provides excellent protection against corrosion. Protects against even the harshest weather conditions and can withstand temperatures up to 400 ° C. It effectively protects the surface even in case of a slight damage to the metal surface.*

**Fields of Application:** *It is used especially for the repair and corrosion protection of metal surfaces. It can also be used on the parts that are undesired to get covered while painting.*



O110-B9005M

Matt Black Spray Paint B9005M 400 ml

---

O110-B9010M

Matt White Spray Paint B9010M 400 ml

---

O110-B9005

Gloss Black Spray Paint B9005 400 ml

---

O110-B9010

Gloss White Spray Paint B9010 400 ml

---

*Before painting your plastic or metallic surfaces, you should always prime and prepare the surface for long-lasting appearance and better adhesion of your paint. This paint is designed to be used as the base coat for a project. These sprays leave a transparent coat, it protects from rust and covers scratches.*

**Fields of Application:** *It provides a strong base to ensure the perfect adhesion of the enamel spray on difficult surfaces such as plastics and metals. It protects metal surfaces from rust. On cars it covers small imperfections and scratches.*



O110-B7016

Anthracite Grey Spray Paint B7016 400 ml

---

O110-B5017

Deep Blue Spray Paint B5017 400 ml

---

O110-B5010

Gentian Blue Spray Paint B5010 400 ml

---

O110-B6005

Moss Green Spray Paint B6005 400 ml

---

O110-B3002

Carmine Red Spray Paint B3002 400 ml

---

O110-B9016

Traffic White Spray Paint B9016 400 ml

---

O110-B3001

Signal Red Spray Paint B3001 400 ml

---

*Multipurpose Acrylic Spray Paints It has brilliant power and sheen, great for interiors and exterior, and can be used on various surfaces. It dries in minutes... what else? It's available in a lot of colours.*

**Fields of Application:** *It is a multipurpose paint designed for indoor and outdoor use. It can be used on various surfaces including wood, metal, glass, ceramic, plastering, masonry, doors, furniture, radiators, ornaments, and other objects.*







## SEALING SPRAY BLACK 500 ML

Art No: 0104-WS500S

---

## SEALING SPRAY TRANSPARENT 500 ML

Art No: 0104-WS500T

---

## SEALING SPRAY WHITE 500 ML

Art No: 0104-WS500W

---

*It prevents water, moisture and rust and seals the holes and cracks. It provides a smooth surface ready to be painted as a result.*

**Areas of Usage:** *It is a filling spray suitable for walls, asphalt, roof, wood and many other irregular surfaces.*



## O112-AA1000-G Acrylic Primer 2K 4+1 Gray 1 L

---

*It is a two-component, high-adhesive, fast-drying and easily sanded acrylic filling material. It is used with Acrylic Hardener at a ratio of 25 ml to 100 ml (4:1). If necessary, 10-30 ml. 2K Universal Acrylic Thinner can be applied. Ready to sand in 2-3 hours at 20°C, 30 minutes at 60°C, 10-20 minutes in IR drying. It dries completely in 24 hours in the open air.*

**Fields of Application:** *It can be used on iron galvanized, polyester putty and old painted surfaces. It makes the final layer look perfect.*



## O112-AV1000 Varnish 2K Acrylic 1 L

---

*Two components product, has very high physical and chemical resistance. Acrylic based clearcoat protects against scratching and UV rays and designed for a long lasting glow.*

**Fields of Application:** *It can be applied to all base layers: metallic, pearl, solid color base coat.*



## O112-AT1000 Thinner Universal Acrylic Thinner Standard 1 L

---

*2K Acrylic Thinner, designed for clearcoats and for the last layers. Should be used as per the ratios indicated in the user's manual of 2K Acrylic products. Slow, Standart, Fast types must be determined according to the current weather conditions. This product is suitable for 10-25 degree Celsius room temperatures.*

**Fields of Application:** *It is used for thinning the Acrylic based colors especially preferred for automotive paints.*





### 0112-PR1000 Paint Remover 1 L

*It is a solvent based, high viscosity, very strong paint remover. It can be easily applied on either horizontal and vertical surfaces.*

**Fields of Application:** *It is used for removing all kinds of old paints from the surface. It can be used on concrete, wood, metal and stone surfaces.*




### 0112-SSC1000 Silicone Surface Remover 1 L

*Brio Silicone Surface Remover has been developed for cleaning the metal, primer coated and old painted surfaces. It can be used to eliminate finger-prints and other dirt; sandpaper dusts over primer coated and painted surfaces while de-greasing procedure is being done on metal surfaces. It prevents crater (silico-ne) forming. It does not solve with primer coated and painted surfaces.*

**Fields of Application:** *Can be used in metal surfaces, old painted surfaces, primer coated surfaces, all kinds of plastic surfaces.*

## O112-USB1000G Anti Gravel Grey 1 Kg

---



*It provides resistance against impacts and stone chips, protection against corrosion as well as sound and heat insulation. A top layer paint can be applied on it.*

**Fields of Application:** *It can be applied on vehicle floors, rocker panels and on mudguards that can be eroded by stones. However, care should be taken not to apply on exhaust, bumper, moving parts and brake systems.*

## O112-USB1000S Anti Gravel Black 1 Kg

---



*It provides resistance against impacts and stone chips, protection against corrosion as well as sound and heat insulation. A top layer paint can be applied on it.*


**Fields of Application:** *It can be applied on vehicle floors, rocker panels and on mudguards that can be eroded by stones. However, care should be taken not to apply on exhaust, bumper, moving parts and brake systems.*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Car Additives



## 0108-BEA300

### Petrol Injector Cleaner 300 ML

---



*Cleans the gum, varnish and sludge residues on injectors, carburettors and the entire gasoline supply system. Protects fuel system against corrosion and oxidation. Eliminates valve sticking, reduces gasoline consumption. Reduces emission of hazardous exhaust gases. Does not harm the catalytic converters and extends their life.*

**Fields of Application:** Suitable for all gasoline engines (with or without catalytic converter) with injectors or carburettor.

## 0108-DEA300

### Diesel Injector Cleaner 300 ML

---



*Used especially for cleaning the residues on the micro parts of injectors and injector pumps. Neutralizes the acidic condensation liquid. Enhances cetane number. Provides a clean combustion. Cleans the fuel system (from the fuel tank to combustion space) and protects from corrosion. Decreases the undesired noises due to fuel.*

**Fields of Application:** Suitable for cleaning diesel engines of trucks and passenger cars.



## 0108-RC300 Radiator Cleaner 300 ML

---



*Eliminates the residues from cooling circuit and cleans the cooling system. It also eliminates the oil residues occurred due to cylinder head malfunctions. It neutralizes the lime residues and prevents the newly added cooling system fluid to get dirty due to the older residues. Suitable for antifreeze types and materials used in the cooling system production. Can be used every time when changing the cooling system fluid as a precaution.*

**Fields of Application:** Suitable for all types of engines.

## 0108-RS300 Radiator Sealer 300 ML

---



*Seals cracks, capillary cracks and leaking pipe connections in radiators, cylinder blocks and cylinder heads. Protects the cooling system and combustion space against leakage. Prevents the cooling fluid leakages. Compatible with the materials that forms the cooling system. Does not harm the plastic parts. Suitable for all cooling systems.*

**Fields of Application:** It can be used on all the modern vehicles that have crossflow radiator. It can also be used for preventing the micro leakages on cylinder head gaskets and pipe connections.

## 0108-MOF300

### Engine Flush & Cleaner 300 ML

---



*Due to its high performance cleaner additives, it cleans and rinses the engine. Eliminates oxidized fuel residues, mud and dirt. It removes carbon dirt, soot, water and fuel residues from the engine. Provides newly added oil to work properly by increasing the engine performance. Reduces fuel consumption and exhaust emissions.*

**Fields of Application:** *Used in all petrol, diesel and LPG engines. Compatible with all mineral, synthetic and semi-synthetic engine oils.*

## 0108-DPF300

### DPF Cleaning Additive 300 ML

---



*It cleans the diesel particulate filter and accelerates the regeneration. Decreases the ignition temperature in the filter. Provides excellent combustion even at normal operating temperature. Prevents performance degradation due to clogged particulate filter and extends the filter life.*

**Fields of Application:** *DPF cleaner is suitable for all turbocharged, common rail and other vehicles with diesel particulate filters.*



## 0108-LPG300

### LPG Additive 300 ML

---



*It is a multifunctional additive for LPG powered vehicles, ensuring longterm stability of the fuel. Used for cleaning and protecting the valve, valve seat and blocked injectors. Prevents corrosion of the fuel system. Reduces gasoline consumption and emission of hazardous exhaust gases. It is recommended to use periodically.*

**Fields of Application:** Suitable for all LPG (petrol) engines with injector or carburettor.

## 0108-MOS300

### Engine Oil Additive Mos2 300 ML

---



*Minimizes the friction resistance, protects against corrosion, prevents oil sedimentation and clogging of oil ducts. It also neutralizes the aggressive combustion acids and regenerates the used engine oil substances. Solves resin covered the piston rings. It can be added to the engine everytime during the engine oil change, engine oil check or engine repair.*

**Fields of Application:** It can be used as a supplement to engine oil for any kind of engine. Suitable for petrol and diesel engines.

## 0108-MOG300

### Engine Oil Additive & Anti-Leakage 300 ML

---



*Due to its high performance additive content, Brio Engine Oil Leak Stop prevents and stops engine oil leakages, reduces oil consumption and makes seals swell back to original size and regain all-new pliability. Extends the service life of the engine. Increases viscosity of the engine oil. Improves engine performance by enhancing engine compression. Prevents or reduces the emission of blue exhaust smoke. Does not contain any harmful components.*

**Fields of Application:** For all gasoline, diesel and LPG engines with or without turbochargers. Can be mixed with all commercially available engine oils.

## 0108-SS300

### Start Stop Engine Oil Additive MOS<sub>2</sub> 300 ML

---



*Increases lubrication in the engines that are frequently starting and stopping. Due to its protective and sticky MoS<sub>2</sub> layer, it provides direct protection when the cold engine is started. Minimizes friction resistance, protects against corrosion, prevents oil sedimentation, prevents oil passages from clogging. It also neutralizes aggressive combustion acids and regenerates the used engine oil active substances. Dissolves resins covering the piston rings. It can be added to engine oil after engine repairs and oil changes. It can also be used to fulfill the reduced engine oil.*

**Fields of Application:** Suitable for the engine types that starts and stops frequently such as start-stop type engines.



## 0108-CEP300 Boron Additive 300 ML

---



*Brio Boron Oil Additive is boron ester based friction reducer which adds unique features to any standard motor oil. Boron nitride content provides a very high lubricating effect for engine parts and consequently reduces friction, wear and engine noise. Prevents and delays oil-ageing. Reduces fuel and oil consumption and restores engine powers of the vehicles. Does not contain any solid particles.*

**Fields of Application:** Can be used for all petrol, diesel and LPG engines.

## 0108-ATF300 Atf Performance Improver and Anti-leakage 300 ML

---



*Due to its high-performance additive content, Brio ATF Performance Booster improves ATF transmission performance and stops/prevents ATF leaks. Improves and eases shifting. Conditions seals & rings to stop and prevent leaks. Reduces oil thinning. Provides oxidation protection. Improves protection of moving parts and metal components against wear. Extends ATF life.*

**Fields of Application:** Can be used on all petrol, diesel and LPG engines that comply with Dexron VI / IIIH / IIIG / IIE / IID / II or some special ATF specifications with automatic transmission system. Not compatible with DCT or CVT systems. Please request TDS document for special ATF Specifications.

## 0108-OFC300 Oil Smoke Stop 300 ML

---



*It helps to prevent oil burning by balancing the oil viscosity of the engine at high temperatures. Enhances the friction coefficient of the oil, reduces knock and wear. Reduces exhaust smoke and harmful gas emission.*

**Fields of Application:** Suitable for gasoline and diesel engines. Compatible with all engine oils.

# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Tire Care and Repair Group





## 0106-TRS400

### Tyre Repair Spray 400 ML

---



*BRIO Tyre Repair Spray is designed to repair the tyres without de-mounting in emergency situations. Repairs the tyres without removing them. The Tyre Repair Spray, containing a special formula that becomes vulcanized upon the contact with the air, mends the flat tyre and can inflate it up to 20 psi. It is a practical, fast and reliable product and does not cause any harm to the tyre. It does not eliminate the major distortions on the tyre rims and does not repair the large cuts on the tyres. It is recommended that this product be utilized only in emergency cases, not to drive at high speeds after the use of the product and to have the tyre to be repaired as soon as possible.*

**Fields of Application:** BRIO Tyre Repair and Inflating Spray can be utilized on all kinds of passenger cars, motorcycles, bicycles, light commercial vehicles or caravans.

## 0106-W

### Tyre Mounting Paste 5 Kg White

---

## 0106-Y

### Tyre Mounting Paste 5 Kg Yellow

---

## 0106-S

### Tyre Mounting Paste 5 Kg Black

---



*It facilitates the movement of the tyre, reduces the speed disequilibrium. Creates a pressure resistant layer prevents adhesion of the tyre to the rim. It makes tyre dismounting easier. It does not harm polished rims.*

**Fields of Application:** Used in the assembly of vehicle tyres.

0106-TP280

Tyre Patch Adhesive 280 G With Brush

---

0106-TP1400

Tyre Patch Adhesive 1400 G

---



*Brio Rubber Patch Adhesive Solution, due to its special formula provides perfect adhesion effect over the applied areas without damaging the rubber surfaces.*

*It is easy to use and quick to apply.*

0306-1216006A

Cordless Nut Remover Battery 1/2 1600 Nm  
21V 6.0AH 3,7 Kg

---

- Rated Voltage: 21 V
- Impact BPM: 2100/1500/1200
- Speed RPM: 1800/1200/1000
- Working Torque: 1000/800/650 Nm
- Nut Busting Torque: 1600 Nm
- Product Weight: 3.70 KG (With battery)
- Max Torque: 1600 Nm





# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## DPF Care and Cleaning Products



## 1202-DPFG DPF Flush Gun

---



*The Brio DPF Cleaning Gun is used to demonstrate the chemicals in the detailed DPF cleaning and rinsing set. It is designed to clean diesel irregular filters and combined filters. It is available with interchangeable probes of all types and models and is a special equipment that works with existing air.*





## 1202-DPFF1000 DPF Flush

---

## 1202-DPFF5000 DPF Flush

---

## 1202-DPFF25000 DPF Flush

---

*Non-flammable. Due to its particular chemical formulation, it is able to penetrate deeply in the honeycomb inside the particulate filter, easily removes the carbon and soot residues, facilitating the regeneration of the filter.*

**Fields of Application:** Can be used for the cleaning of diesel particulate filters.



## 1202-DPFR1000 DPF Rinser

---

## 1202-DPFR5000 DPF Rinser

---

## 1202-DPFR25000 DPF Rinser

---

*Non-flammable. Due to its particular chemical formulation, it is able to penetrate deeply in the honeycomb inside the particulate filter, easily removes the carbon and soot residues, facilitating the regeneration of the filter.*

**Fields of Application:** Can be used for the cleaning of diesel particulate filters.



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Adhesives, Lockers, Sealants Group





# 0104-638

## High-Strength Retaining Compound



Art	Dimensions	Box	Type
0104-638-15	5 ml	6	Anaerobik
0104-638	50 ml	10	Anaerobik
0104-638-250	250 ml	24	Anaerobik

*BRIO Retaining Compound is a high strength adhesive product that is used for securing the bearings, bushings and cylindrical parts on the shaft. It is vibration resistant and prevents the undesired move of retained parts.*

**Fields of Application:** It can be used for retaining any bearing and bushing parts.

# 0104-543

## Liquid Teflon Pipe Thread Sealer



Art	Dimensions	Box	Type
0104-543-15	5 ml	6	Anaerobik
0104-543	50 ml	10	Anaerobik
0104-543-250	250 ml	24	Anaerobik

*BRIO Pipe Thread Sealer is a general purpose liquid thread sealant for metal threads. It fixes the connections against loosening caused by vibration. When applied it provides a low pressure seal and is resistant to fuel, oil, coolants and hydraulic fluids. It is suitable for metal-metal and plastic-metal threaded connections.*

**Fields of Application:** Suitable for metal gears. Pipe threads where all kinds of water, oil, grease and many chemicals pass, pressure vessels, Air compressors, Hydraulic systems and tanks and places that require resistance to vibration.

# 0104-243

## Medium Strength Threadlocker



Art	Dimensions	Box	Type
0104-243-15	5 ml	6	Anaerobik
0104-243	50 ml	10	Anaerobik
0104-243-250	250 ml	24	Anaerobik

*Brio Medium Strength Threadlocker is a detachable, multi-purpose, anaerobic product which resists the temperatures between -55°C and +150°C. Easy to apply Threadlocker is non-sag and has sealing capabilities.*

**Fields Of Application:** It is used in any length of bolt and nut parts; machine adjustment bolts; hydraulic system bolts; bolts of ball bearing units and conveyor belts; automotive industry and engine construction. It is resistant to a large number of gases, alkali solvents, oils and fuels.

# 0104-270

## High Strength Threadlocker



Art	Dimensions	Box	Type
0104-270-15	5 ml	6	Anaerobik
0104-270	50 ml	10	Anaerobik
0104-270-250	250 ml	24	Anaerobik

*Brio High Strength Threadlocker stabilises and seals wide range of nuts, studs, bolts and flange connections, and resists temperatures between -55°C and +150°C. Easy to apply Threadlocker is nonsag and has sealing capabilities.*

**FieldsOfApplication:** It is used in engine studs; cylinder head studs; water pump coupling connections; white goods industry; automotive industry and engine construction; manufacture of metals, tools and electronic materials. It is resistant to a large number of bases, gases, solvents, oils and fuels.



# 0104-574

## Sealing Compound Orange



Art	Dimensions	Box	Type
0104-543-15	50 ml	10	Anaerobik

*Brio Sealing Compound is designed for gasket making, sealing, glazing and bonding of high temperature exposed surfaces. The applied product is resistant to temperatures between -55°C and +200°C.*

**Fields of Application:** Can be used in leak proofing of the flanges; sealing and fulfilment of the cracks and spaces up to 0,50 mm; sealing the cracks of high temperature exposed engine parts.



## 0103-SG200

### Sealing Compound 200 ml Rtv Grey

---

## 0103-SS200

### Sealing Compound 200 ml Rtv Black

---

*BRIO Sealing Compound is a high-performance acetoxysilicone based gasket maker which retains its flexibility up to 300°C temperature, and it can withstand temperatures between -40°C and 250°C. The applied product takes the place of ready-made gaskets by forming long life gaskets at the application spot. Can be applied over ready-made gaskets to increase durability. Resistant to chemicals, oils and solvents.*

**Fields Of Application:** In gasket applications of automobiles, machines, heating systems, industrial ovens, chimneys etc. In areas where high degrees of heat might affect the gaskets. In seal-proofing and bonding applications of joints and cracks where high-temperature resistance is desired.



## 0103-SS85S

### Sealing Compound 85 G Rtv Black

---



*BRIO Sealing Compound is a high-performance neutral silicone sealant designed to provide superior adhesion and durability for a wide range of glazing, sealing, and gasket making applications. Temperature resistance is -50°C to +300°C and it is easy to use.*

**Fields of Application:** Can be used in gasket applications of automobiles, machine's heating systems, industrial ovens, chimneys etc. which will be exposed to high heat or high-temperature changes. Can be used on the exterior insulation of containers of water pumps, gears, oil sump heads of engines, engine valve heads and thermostat heads, seal-proofing and bonding applications of joints and cracks where high-temperature resistance is desired.



## 0104-SK400

### Spray Adhesive 400 ML

---



*Brio Spray adhesive is based on styrene-butadiene-rubber, resins and hydrocarbon solvents. It has the moisture resistant, it has strongly bonding features and it has a low viscosity level. Easy to use spray rapidly adheres the applied surfaces.*

**Fields Of Application:** Spray Adhesive bonds a wide variety of materials: Wood, stone, rubber, canvas fabrics, cardboard, metal, paper, cork, foam etc.

## 0104-SG20

### Superglue 20 G

---



*BRIO Superglue is a non-sag, fast curing product that provides fast and robust adhesion on rough, vertical and non-absorbable surfaces. This product has strong adhesion capacity but can easily be solved by using the heat gun.*

**Fields of Application:** Provides an effective adhesion on surfaces such as metal, plastic, porcelain, leather, glass, aluminium, jewellery, ceramic, concrete, wood.

# O104-ME57

## Epoxy Putty Metal 57 Gr

---



*Brio Epoxy Putty Metal is a high strength metal repair paste for bonding, filling, repairing and sealing steel and metal materials, holes, and leaks. Resistant to shock, vibration water, oil and chemicals. Can be painted with brush and mechanically processable. The curing time is 10 minutes.*

**Fields of Application:** Can be used in automotive and machine parts, exhaust systems, plumbing works, tanks, pipes, pumps and frames, railings, screws and dismantled screws, rust damage and domestic metal repairs.

## O104-MPU280S

### Pu Sealant 280 ml 40S Black

---

## O104-MPU280G

### Pu Sealant 280 ml 40S Grey

---

## O104-MPU280W

### Pu Sealant 280 ml 40S White

---

*Brio Pu Sealant is a single component, moisture curing, polyurethane-based filling and sealant material. It is thixotropic, paintable, resistant to weather conditions and water. It is able to provide adhesion on cement-based building materials, bricks, ceramics, marbles, glasses, woods, galvanize steels, aluminum and most of the plastic surfaces.*

**Fields of Application:** In the construction industry, in the cavities of the joints between building structures. For joint and assembly of aluminium, PVC, wooden framing. Used for laying of roof tiles and in the automotive sector; body constructions of cars, containers and caravans. Brio Pu Mastic cannot be used on bituminous substrates, natural rubber, EPDM rubber or on building materials which might bleed oils, plasticizers or solvents.





## O104-KPU750P

### Pu Mounting Foam Plus (Straw) 720 G

---

*PU Foam is a polyurethane based, single component filling and insulation material that hardens with the moisture of the air. It is easy to use. Not harmful to the health if used correctly. Reacts quickly.*

**Fields of Application:** *Used for fixing and assembling the door and window frames, filling the gaps on roof constructions and for acoustic or heat insulation purposes.*



## O104-KPU750PT

### Pu Mounting Foam Plus (Gun) 750 G

---

*PU Foam is a polyurethane based, single component filling and insulation material that hardens with the moisture of the air. It is easy to use. Not harmful to the health if used correctly. Reacts quickly.*

**Fields of Application:** *Used for fixing and assembling the door and window frames, filling the gaps on roof constructions and for acoustic or heat insulation purposes.*

## 0104-MA500 Pu Marine Adhesive 500 Gr

---



*Brio Pu Marine Adhesive is single component, polyurethane based adhesive which cures with moisture of air and has an excellent resistance to water. It has a low pressure time with its efficient formulation. It has a solvent free base and it is suitable for different type of substrates/ surfaces.*

**Fields of Application:** Can be used on adhesion of all kinds of hard wood made materials; Combining of all wood made materials; Installing of mdf, slab surfaces and door frames; Construction of wood made ships and yachts and in furniture industry.



## 1405-MST310S Std Metal Manual Silicone Gun 310 ML

---



*Designed to use the silicone cartridges. It is made of cast iron. It is suitable for easy use with its easy grip feature and ergonomic design. It is long lasting and can be used with standard silicone cartridges. suitable.*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Car Care Products



## O113-B1

### Thick Paste Wax 1 L

---

*BRIO Thick Paste Wax is a sanding paste for deep scratches on the vehicle body. Suitable for any color. It does not contain silicone and ammonia. It can be dyed. It does not contain cosmetic oils and it can be mixed with water. It does not harm the paint. It is also suitable for machine use and it reacts quickly.*

**Fields of Application:** Suitable for HS and MS paints.



## O113-B2

### Medium Paste Wax 1 L

---



*BRIO Medium Paste Wax is a sanding paste for medium scratches on the vehicle body. Suitable for any color. It does not contain silicone and ammonia. It can be dyed. It does not contain cosmetic oils and it can be mixed with water. It does not harm the paint. It is also suitable for machine use and it reacts quickly.*

**Fields of Application:** Suitable for all kinds of paints.

## O113-B3

### Thin Pasta Wax & Polish 1 L

---

*BRIO Thin Paste Wax & Polish is designed for shallow scratches on the vehicle body. Removes shallow scratch marks and creates a bright surface. Suitable for any color. It does not contain silicone and ammonia. It can be dyed. It does not contain cosmetic oils and it can be mixed with water. It does not harm the paint. It is also suitable for machine use and it reacts quickly.*

**Fields of Application:** Suitable for all kinds of paints.





## O113-B4 Polish 1 L

---

*Due to its natural content and special formula, it provides permanent brightness on the paint. It is resistant to all weather conditions and sunlight. It can be re-polished without leaving any residues. Also allows waterless cleaning. It does not damage the paint.*

**Fields of Application:** Suitable for all types of vehicle bodies.



## O113-B5 Finishing Polish 1 L

---



*It is a thin paste used for extra brightness on paint surfaces. Removes thin and moderate signs of corrosion, polishing marks and holograms without leaving any traces. Cleans quickly and easily.*

**Fields of Application:** Suitable for all types of bodywork.

## O113-B6 Paint Protector 1 L

---

*It is a polymer sealing shield for the surfaces of all vehicles and is waterproof due to its brightness providing hydrophobic feature. Provides effective and long-term protection against environmental conditions. Designed with a new generation coating technology. Reacts quickly and maintains its effect for a long time.*

**Fields of Application:** It can be used on the body and rim of any vehicle.



# 0102-AİR400

## Active Interior Cleaning Foam 400 ML

---



*This is a professional product, but it's also perfect for the do-it-yourself consumers: it's a foam spray that can rapidly dry by cleaning fabrics and car interiors. It removes filth and grease and it leaves a pleasant fragrance CAR INTERIORS AND TEXTILE FOAM CLEANER - This special formula uses foaming action to deep clean carpets, fitted carpets and fabric surfaces without leaving any residue. It dries quickly and leaves a pleasant smell.*



### 0105-AR15

#### Antifreeze Red -56° 1,5 L

---

### 0105-AR3

#### Antifreeze Red -56° 6 L

---

### 0105-AR16

#### Antifreeze Red -56° 16 L

---

*Provides proper conditions for your vehicle's cooling system. Prevents the possible leakages on your radiator. Protects the aluminum and metal alloys from corrosion and prevents freezing of the cooling system.*

**Fields of Application:** *Used for radiators, water pumps and cooling systems.*



## O113-GB50X70

### Chamois Cleaning Cloth 50x70 Glass and Hood Premium

---



*The chamois cloth, which does not scratch and does not leave stains over the surface, is used for cleaning the body, glass, torpedo, cockpit, aluminium and plastic parts. It cleans effectively without leaving any stain in the interior and exterior parts of the vehicles. It gives effective results on sensitive surfaces. The wiped surfaces shine and look vivid. The product can be used many times.*

## O113-KDTB40X60

### Shiny Velvet General Cleaning Cloth 40x60

---



*Due to its velvety texture, it provides effective cleaning of wet and dry surfaces. It absorbs dust, wetness and dirt with its absorbent structure, and leaves brightness depending on the nature of the substance in the cleaned area. It can be washed many times and it has a long life.*

## O113-MPB40X40

### Microfiber Shining Cloth 40x40

---



*Polishing cloth is an effective product used to clean and polish windows, mirrors and polished surfaces such as stainless steel and other shiny metal surfaces. The cloth can be used dry or damp. It gives effective results and leaves no traces.*

## O113-MHB50X70

### Microfiber Towel Cloth 50x70

---




*Towel cloth, like all clothes, is used for cleaning purposes and it is a high absorbent cleaning cloth used to prevent the water stains on the surface of the vehicle after car washes due to the sunlight. It can be easily used on hard surfaces such as glass, paint, steel and plastic. It can be washed and used many times.*

## O113-MCB50X70

### Microfiber Diamond Texture Glass Cleaning Cloth

---



*Due to its diamond pattern structure, it provides effective cleaning of wet and dry surfaces. It absorbs dust, wetness and dirt on its surface and provides an effective gloss with its special structure. It is preferred especially on glass surfaces and gives perfect results. It can be washed many times and it has long-lasting usage time.*

## O113-MBL30X30 - O113-MBL40X40

### Microfiber Laser Cut Cloth

---



*Microfiber cloth provides effective cleaning of wet and dry surfaces. It absorbs dust, wetness and dirt on its surface with its absorbent microfiber structure and provides effective cleaning. It can be washed many times and it is long lasting.*



O113-KPY160S

Sheep Wool Polishing Pad Yellow 160 mm

---

O113-KPY160G

Sheep Wool Polishing Pad Grey 160 mm

---

O113-KPY160B

Sheep Wool Polishing Pad White 160 mm

---



*Sheep Wool Polishing Pad aggressively removes the scratches from the surface of the car. When used with polishing and waxing compounds it properly polishes and*

O113-PMT120

Backing Plate for Polish Machine 120 mm

---

O113-PMT150

Backing Plate for Polish Machine 150 mm

---

*It is used as a polishing machine base in polishing processes with velcro wool or sponge pads. Due to its plate shape, it has an ergonomic ease of use and velcro polishing materials easily sticks.*



## O113-KDT150

### Clay Pad Ferrate Cleaning 150 MM

---

*It is a product used for removing dirt residues over the vehicle surfaces. It provides removal of dirt, oxidation, resin residues, iron dust etc., and polishes the vehicle paint. It is recommended to use before polish and wax process.*



## O113-PPKPRO

### Polishing Felt Pro

---

## O113-PPKECO

### Polishing Felt Eco

---



*Polishing Felt aggressively removes the scratches from the surface of the car. When used with polishing and waxing compounds it properly polishes and fixes the used surfaces.*

## O113-C180

### Cleaner Clay Bar 180 Gr

---

*It easily removes all kinds of residues, particles, industrial dirt and dirty rain marks. Depending on the need, the product can be divided into pieces to use.*







## O113-CRS Cleansings Wall Stand

---

*Wall Set 6 Pieces*

- 2 Pcs Shelf Pole
- 1 Pcs Brush Stand
- 1 Pcs Paste Stand
- 1 Pcs Machine Stand
- 1 Pcs Spray Stand

## O113-CTS Cleansing Tools Trolley Black

---

## O113-CTR Cleansing Tools Trolley Red

---

## O113-CTM Cleansing Tools Trolley Blue

---

*It is designed for the detailing sector.  
It is a wheeled bench with sections for  
hanging machine, cake, bottle and  
brush.*

**Features:**

- > 2 mm dkp laser cut mast.
- > 1,5 mm dkp laser cut pool.
- > 2 swivel castors and 2 swivel castors with brakes.
- > 120 kg carrying capacity.
- > 48 pieces of fiber nut connections.



## 1202-P1300

### Polishing Machine 1300W-180 Mm

---

- It has M14 bolt inlet.
- Velcro technology works in harmony with discs.
- It has adjustable speed.
- Power: 1300 W
- Number of Idle Speeds: 1000-3000 RPM
- Disc Diameter: 180 mm
- Weight: 3.10 kg



## 1102-14180

### Polishing Machine 1400W

---

- It has touch-operated start and cycle speed control button.
- Provides a great power either in small and long formation.
- It starts slowly and so it does not disperse.
- Spin speed is not affected by the push.
- It can make up to 1500 cycles per minute.
- It has 1400 W nominal power and M14 thread.

**Fields of Application:** It can be used for polishing of all kinds of bodywork.





## O306-CPM

### Cordless Polishing Machine Double Battery 150 Mm 21V 4.0AH 2,5 Kg

---

- *It removes scratches and provides a smooth coating and has the best sanding quality achieved with precision coating.*
- *Can be used wet or dry.*
- *It has silicon carbide particles.*
- *You can use it for a long time with the second battery included in the content.*

**Product Content:**

- 1 Body
- 2 Battery
- 1 Charger

**Features:**

- Sanding Pad (mm): 150 mm
- Power: 4.0A
- Voltage (V): 20V
- Orbit Diameter (mm): 15 mm
- No load Speed (r/min): 2000-4800
- Net Weight (kgs): 2.5 kgs
- Battery: 2 pcs\*4.0A



## O501-MP100X65S

### Magnetic Mudguard Cover Black 100x65 Cm

---

## O501-MP100X65R

### Magnetic Mudguard Cover Red 100x65 Cm

---

## O501-MP100X65SH

### Magnetic Mudguard Cover Black with Hook 100x65 Cm

---



*Protects mud flaps from dirt and scratches, provides a comfortable working. It has the magnetic upper edge strip and wheel segment.*

**Fields of Application:** *It is used to protect the mud flaps and vehicle during maintenance.*

## O501-01B

### Seat Cover With BRIO Print (400 Pieces/Roll)

---



*Brio Sofa Cover is glued to the upholstery and does not slip. It is extremely resistant to tearing. It is used to protect the driver and passenger seats during and after maintenance. It measures 72x63 cm. The standard model is made of white polyethylene film. Perforated rolls are easy to use. It is flexible and easily applied.*

## O501-02B

### Paper Mat With BRIO Print (500 Pieces/Roll)

---



*Paspasa yapışır, kaymaz. Yırtılmaya karşı son derece dayanıklı Sticks to the mat, does not slip. Extremely resistant to tearing.*

**Fields of Application:** *Used to protect the driver and passenger mats during maintenance.*



# 0105-CS33

## Glass Cleaning Soap 33 ML



*It effectively dissolves and cleans grimes, oil and insect pots occurred on windshield and headlights. It supplies a more confident view in every road conditions. It prevents furrowing of the windshield wiper.*

**Fields of Application:** *It is more suitable for vehicle windshields and headlights, however, it can also be used on all the glasses.*





# SUMMER CARE KIT

0105-SS

*It is a vehicle care set specially designed for drivers. Especially in the summer months, the products needed by the vehicle owners are bundled in the BRIO Summer Care Set.*

*It contains the following products;*

- Silicone Spray 400 ml
- Glass Cleaning Soap 33 ml
- Air Freshener Spray 170 ml
- A/C Refresher Spray 150 ml





# WINTER CARE KIT PLUS

## 0105-WSP

*It is a vehicle care set specially designed for drivers. Especially in the winter months, the products needed by the vehicle owners are bundled in the BRIO Winter Care Set.*

*It contains the following products:*

- Antifog Spray 250 ml
- Rain Repellent Spray 250 ml
- Ice Scraper
- De-Icer Trigger Spray 250 ml
- Screenwash 250 ml



# **BRIO**

[www.brio-europe.com](http://www.brio-europe.com)

## **Glass Repair Products**





# 0114-SKS310

## Quick Windscreen Adhesive & Sealant 310 ML

---



*BRiO Window Adhesive - Sealant is a fast curing, polyurethane based elastic adhesive designed to attach and immobilize the vehicle windows. It provides strong and permanent adhesion. Manufactured according to FMVSS 208/212 standards.*

**Fields of Application:** *Used to attach and fix the windows. Designed for professional use only.*

# 0114-SKS310S

## Windscreen Adhesive and Sealant Set

---

*A set that is designed to attach and immobilize vehicle glasses. It contains;*

- *BRiO Windscreen Adhesive Sealant 310 ml*
- *Primer 30 ml*
- *Wool Dauber Brush*



O114-SKP10X  
Primer 10 ML With Brush

---

O114-SKP30  
Primer 30 ML

---

O114-SKP100  
Primer 100 ML

---

O114-SKP250  
Primer 250 ML

---



*BRIO Primer is a product that is resistant to UV rays. It provides excellent adhesion to glasses prevents corrosion and is resistant to harsh weather conditions.*

**Fields of Application:** *Used for adhesion and fixing of glasses.*

O114-PF  
Wool Dauber Brush

---

*Special wiper for the use of universal primer.*





## O114-WL

### Twin Suction Lifters 60 Kg 390 mm

---



*It is used to remove the windscreens of vehicles. It has a lifting capacity up to 60 kg.*

## O114-50M

### Cutting Wire 50Mx1,40 mm Square

---

*Suitable for fixing glued trim strips and windscreen frames.*




## O114-WH1

### Pulling Handle For Cutting Wire

---

*Single handle for cutting wires.*



## O114-WH2

### Cutting Wire Opposite Handle

---

- *It has a low accident risk due to its long angle shaft.*
- *It has an ergonomic plastic handle.*
- *Tightened with a wire screw.*
- *It has a blade length of 130 mm.*

**Fields of Application:** *Suitable for all car windscreens.*



## O114-WM

### Windscreen Removal Tool

---

- *Used to remove any type of windscreen.*
- *It is handy and robust.*



## O114-WM-19

### Knife For Windscreen Removal Tool 19 mm

---

## O114-WM-25

### Knife For Windscreen Removal Tool 25 mm

---

## O114-WM-37

### Knife For Windscreen Removal Tool 37 mm

---

*Spare blades for windscreen removal tool.*



## O114-T

### T Shaped Wire Assembling Tool

---

*Used in windscreen removal process. Provides to remove the windscreen with the help of wire.*





## O114-CWT Windscreen Repair Set 8 Pcs

---



*It is a set designed for windscreen repairing. It is delivered in its plastic case. It contains the following products;*

- Twin suction lifters 60 kg 390 mm (2 pieces)
- Cutting wire 50 m x 1,40 mm
- Pulling handle for cutting wire (2 pieces)
- Screwdriver for gasket scraper set
- Gasket scraper knife 20 mm
- Cutting wire opposite handle

## O114-CVT60300 Windscreen Repair Set 7 Pcs

---



*Windshield Repair Kit Windshield removal tool set, 7 pieces available. This kit includes high quality tools for breaking vinyl adhesive and urethane around car windows. It is used to remove glass from glued front and rear windows without a second employee.*

*Extra for glued panes includes the following tools:*

- Piercing awl 350 mm
- 2 handles for cutting wire
- 1.80 m cutting wire
- Double hook handle 240 mm
- Pull blade with handle and pull rope
- Including instruction manual in German and English
- Long service life in daily workshop use

# BRIO

[www.brियोeurope.com](http://www.brियोeurope.com)

## Bodywork Dent Pulling Products





O604-6

Spot Weld Drill Bit 6 mm Hssco

---

O604-8

Spot Weld Drill Bit 8 mm Hssco

---

*It is used for drilling the welding rods on steel sheets in vehicle chassis. Contains cobalt material.*



O604-6T

Spot Weld Drill Bit Hssco 6 mm Tin Coated


---

O604-8T

Spot Weld Drill Bit Hssco 8 mm Tin Coated


---

*Punta kaynak çürütme işlemi için özel matkap ucu sabit merkezleme sistemi sayesinde noktalamaya gerek kalmaz. Geliştirilmiş PLUS merkezleme ucu, yüksek mukavemetli saclarda kullanım için de uygundur. Optimize edilmiş uç geometrisi, geleneksel punta kaynak matkap uçlarına göre daha uzun kullanım ömrü sağlar. Tüm standart matkaplarda kullanıma uygundur. TİN kaplama kesme kenarlarının ömrünü iki ila üç kat uzatır.*



## 0605-01 Bodywork File Handle


---



## 0605-01-03 Bodywork File

---

- Has radial router on both sides.
- Suitable for vehicle body rasp sheets.












## 0606-04-194 194 Pieces Dent Lifting Set With Hammer

---





*Used with unpainted dent fixing pliers and hammer. Fixes various dents.*

	Dent Lifting Puller Tab 23 mm Yellow, Dished	0303-04-01
	Dent Lifting Puller Tab 33 mm Beige, Dished	0303-04-02
	Dent Lifting Puller Tab Green, Round, Dished	0303-04-03
	Dent Lifting Puller Tab Red, Ellipse, Dished	0303-04-04
	Dent Lifting Puller Tab 16 mm Blue, Dished	0303-04-05
	Dent Lifting Puller Tab For Edge Fixing Black	0303-04-06
	Dent Lifting Puller Tab Edge Black, Ellipse	0303-04-07
	Dent Lifting Puller Tab Blue, Round	0303-04-08
	Dent Lifting Puller Tab Brown, Round	0303-04-09
	Dent Lifting Puller Tab 33 mm Pink, Dished	0303-04-10
	Dent Lifting Puller Tab Green	0303-04-11
	Dent Lifting Puller Tab Blue, Round	0303-04-12
	Dent Lifting Puller Tab Silver	0303-04-13
	Dent Lifting Puller Tab Orange, Ellipse	0303-04-14
	Dent Lifting Puller Tab Blue, Ellipse	0303-04-15

## O606-PDRPO

### Dent Puller Pliers Adjustable

---



*BRIO Paintless dent repair pliers is a tool used to remove small and medium dents on the bodies of vehicles without paint. It is for fixing dents of different sizes and is not suitable for large, deep dents.*

***Here are the steps to use the product:***

- *Adjust the screw on the pliers according to the depth of the dent.*
- *Insert the plastic device suitable for the dent into the groove of the pliers.*
- *Apply hot silicone to the bodywork surface to be corrected.*
- *Press the plastic apparatus onto the hot silicone surface by turning the screw on the pliers.*
- *After the silicone has cooled, fix the dent with light squeezing movements.*

## O606-PDRPM

### Dent Puller Pliers

---



*BRIO Paintless dent repair pliers is a tool used to remove small and medium dents on the bodies of vehicles without paint. It is for fixing dents of different sizes and is not suitable for large, deep dents.*

***Here are the steps to use the product:***

- *Adjust the screw on the dent repair pliers according to the depth of the dent.*
- *Place the plastic tool suitable for the depth and surface of the dent into the groove on the pliers.*
- *After applying hot silicone to the bodywork surface to be corrected, turn the screw on the pliers and press the plastic apparatus onto the hot silicone surface.*
- *After the silicone cools down, fix the dent with light squeezing movements.*



# O606-PDRPS

## Dent Puller Set (25 Pieces)




	PDR Paintless Dent Repair Plastic Red Ellipse 49-34Mm – D. N6 – Red (3 PCS)	0606-27138
	PDR Paintless Dent Repair Plastic Corner Correction V TYPE Diameter 20x15mm – D. N6 – Black (3 PCS)	0606-28332
	PDR Paintless Dent Repair Plastic Ellipse Flat 36X33Mm – D. N6 – Green (3 PCS)	0606-28677
	PDR Paintless Dent Repair Plastic Flat Oval 25X12 5Mm Red D.N6 – D. N6 – Red (3 PCS)	0606-30780
	PDR Paintless Dent Repair Plastic Curved Curved 16X45mm – D. N6 – Black (3 PCS)	0606-32475
	PDR Paintless Dent Repair Plastic Curved Round Diameter 27mm – P. N6 – Orange (3 PCS)	0606-19542-1
	PDR Paintless Dent Repair Plastic Curved Diameter 23Mm – D. N6 – Yellow (3 PCS)	0606-27129

## 0701-25

### Tri-Hook Washer (25 Pieces)

---

*The products that are used for dent lifting purposes on various vehicle bodies.*




## 0701-50

### Wiggle Wire (50 Pieces)

---

*The products that are used for dent lifting purposes on various vehicle bodies.*





# BRIO

[www.brियोeurope.com](http://www.brियोeurope.com)

## Soldering-Welding Works Products



## 4982-1

### Solder Stick Sn%25-800 G

---

*It consists of lead, tin and antimony. It minimizes the possibility of slag formation due to its absence of gaps in its structure. It prevents problems such as soldering stalactites, insufficient soldering, cracks and short circuits.*



## 4982-91

### Solder Tinning Paste 1 Kg

---

*It provides the solder work better by cleaning the surface to be soldered. It also reduces the surface tension of the solder, thus allows the solder to be spread more easily. It maintains the fluidity and brightness of solder and keeps the soldering iron tip clean.*





## O111-AS400

### Argon Anti Spatter Spray 400 ml (Silicone

---



*Effectively cleans and dries quickly. It is not corrosive and flammable. Extends the life of the welding elements. Is easy to use. With its special silicone-free formula, it helps effectively cleaning the wastes adhering to metal surfaces after welding.*

**Fields of Application:** *It is used to protect the welding ends, welding elements and equipment.*

## O701-WG

### Welder's Leather Gloves (Heat Proof)

---



*The protective welder's glove provides safety of work. While welding, eliminates burns and physical damage of your hand and wrist area.*

# 0702-12009

## Colormatic Welding Helmet

---



*Various masks that prevent the eyes from being exposed to harmful rays during*

Adjustable DIN level



Adjustable sensitivity level



Removable head belt





# BRIO

[www.bioshop.com.tr](http://www.bioshop.com.tr)

## Tapes



## O502-19x10EB Gaffer Tape 19 mm x 10 m

---



*It is especially designed to use in the isolation of products such as electrical cables. It can also be used for taping office or household items.*

*Provides isolation for electrical current.*

*Repairs minor faults in electrical installations*

*It allows the cables to be connected together and ensure durability.*



## O502-19x15BB / O502-19x25BB Fabric Tape

---



*It is a multi-purpose fabric tape. Resistant to high temperatures. Can be pulled off. Has a long life. Also has an excellent adhesion and sound insulation capability. Can be used for gathering cable harnesses.*

**Dimensions:** 19mmx15m / 1933x25mm

**Material:** Fur Fabric

**Design:** Brio



O502-19x5SÇKS

Double Sided Foam Tape 19mmx5m

---

O502-19x10ÇKS

Double Sided Foam Tape 19mmx10m

---



- Has flexibility and gap-filling features.
- Provides an effective adhesion for bonding rough and uneven surfaces.
- Has vibration and noise insulation.
- Is resistant to impact.

O502-45x33PVC

Pvc Tape For Glass Installation Fixing 45x33

---

O502-45x66PVC

Pvc Tape For Glass Installation Fixing 45x66

---

- Mainly used for glass installation.
- It does not leave any marks when removed.





0502-48x66BRIO

Packing Tape BRIO Printed 48x66

---

0502-48x66

Packing Tape Unprinted 48x66

---

0502-19x35MB

Masking Tape 19mmx35M 80 Degrees

---

0502-24x35MB

Masking Tape 24mmx35M 80 Degrees

---

0502-36x35MB

Masking Tape 36mmx35M 80 Degrees

---

0502-48x35MB

Masking Tape 48mmx35M 80 Degrees

---



- *It is used as a stabilizer in painting applications, on covering papers and paint protection films.*
- *Resistant to tearing. Has a thin textured structure.*



# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## A/C Maintenance Products



## O111-IR150

### A/C Refreshing Spray 150 ml Biocide-Free

---



*Brio Air Refresher Spray is a refreshing and odorizing product designed for use in vehicle air conditioning systems of almost all vehicles, trucks, vans etc.. It removes bad odors and leaves a pleasant scent. Anyone who wants a fresh and pleasant smell in their vehicles can easily use this product by following the instructions for use.*



## O111-KDMX48

### A/C Atom Refreshing Set (48 Uses+Atomiser Machine) Biocide-Free

---

*The Atom machine is a powerful electronic ultrasonic nebulizer designed to refresh & deodorize vehicle air conditioning systems effectively, efficiently and profitably for professional garages. The lightweight and portable product use a specially formulated solution to clean and remove any unpleasant smells from vehicles air conditioning systems. The process is automatic and takes around 20 to 30 minutes to complete. It is particularly effective in resolving acute or persistent problems and gives longlasting results. The customers will be able to immediately enjoy the benefits of a fresh-smelling vehicle.*

**Fields of Application:** Used with A/C Atom Refreshing Machine Fluid. Can be used anywhere that refreshment and fresh air are desired.





0111-KD400  
A/C Cleaner Spray With  
Pipe 400 ml Biocide-Free

---



Brio A/C Cleaner Spray With Probe prevents bad odor creation. It cleans and removes the dirt formed on the surface. It allows you to clean out the air system and use a refreshed ventilation system. It effectively removes unpleasant odors and provides long lasting freshness in air conditioning systems.

**Fields of Application:** Can be applied on any A/C system that health, refreshment and purification are desired.

Brio PAG Oils are high performance Polyalkylene glycol for air conditioning systems with R134a and R1234yf. They have optimal miscibility with R1234yf refrigerant gas and they are also compatible with R134a, over a wide range of concentrations and temperatures. This results in excellent lubricating properties and increased efficiency of the refrigeration system. They have a reduced hygroscopicity compared to normal products used with other refrigerants, it also has a high chemical and thermal stability and resistance to hydrolysis. Compatible with electric compressors with PAG oil. These oils meets OEM specifications and the requirements of DIN 51503 KD.

0111-KD120  
A/C Atom Refreshing Machine  
Fluid 120 ml Biocide-Free

---



The solution specially formulated for the Brio A/C Atom Refreshing Machine. It is evaporated by the ultrasonic nebulator and cleanses the places that are impossible to reach in the air conditioning system. It removes bad odors, dust and nicotine residues and refreshes the vehicle air conditioning system. Provides a pleasant and refreshing lemon fragrance.

**Fields of Application:** It is used to refresh vehicle and air conditioning systems.

0304-PAG1000  
PAG A/C Oil  
Universal 1000 ML

---

0304-PAG1000  
PAG A/C Oil  
Universal 250 ML

---



## 0111-UV75

### UV Leak Detector Fluid 7,5 ml (12 Pieces)

---



*The Brio UV Leak Detector Fluid allows quick and precise detection of small gas leaks in ventilation and cooling systems. Leaks become visible through the use of UV light. It can stay in the system for a long time. Suitable for PAG, PAO and Ester oil.*

**Fields of Application:** Can be used in R134a cooling systems. Can be used in ventilation and cooling systems of vehicles with electric air compressors.

## 0111-UV250

### UV Leak Detector Fluid 250 ML

---

## 0111-UV100

### UV Leak Detector Fluid 100 ML

---



*The Brio UV Leak Detector Liquid allows quick and precise detection of small gas leaks in ventilation and cooling systems. Leaks become visible through the use of UV light. It can stay in the system for a long time. Suitable for PAG, PAO and Ester oil.*

**Fields of Application:** Can be used in R134a cooling systems. Can be used in ventilation and cooling systems of vehicles with electric air compressors.



## O111-LF400

### Gas Leak Detection Spray 400 ML

---



*Brio Gas Leak Detection Spray helps easily detecting the leaking points on gas and air systems of the threaded and flanged joints, ducts and welds under internal pressure. The product does not form harmful compounds with gases such as carbon dioxide (CO<sub>2</sub>), propane, butane, acetylene, compressed air, natural gas, nitrogen or fluorinated hydrocarbons.*

**Fields of Application:** *Can be used in the threaded and flanged joints, ducts, welds and wherever gas leakage is suspected.*

## O111-UVSET

### A/C UV Leak Detection Set 12 V

---



*A set that is designed to detect leaks in the A/C systems of cars.*

*Kit includes;*

- > BRIO UV Leak Detector Liquid (7,5ml)
- > Stickers
- > BRIO UV Leak Detector Liquid Cleaner (400 ml)
- > Low-pressure port adapter for systems with R134a
- > 120 mm 1/4 SAE adapter with one-way valve
- > 120 mm 5/16 SAE adapter with one-way valve
- > 9 UV LED leak detector torch
- > 100% UV protective goggles

**Fields of Application:** *Can be used in both automotive and HVAC&R systems.*

# O111-UVSET-P

## A/C UV Leak Detection Set 12 V Pro



*LEAKFINDER are kits for both Automotive and HVAC/R that contain everything you need to detect refrigerant gas leaks using fluorescent UV leak detector dye. The case includes also what's necessary to clean up the traced surface.*

*The kit includes:*

- 250 mL bottle with dispenser of leak finder
- Dye detected labels
- 100 mL spray bottle of leak finder remover
- Refillable 50 mL cartridge injector
- Low-pressure port adapter for systems with R134a
- 120 mm 1/4 SAE adapter with safety valve
- 120 mm 5/16 SAE (R410a) adapter with safety valve
- 9-LED UV lamp
- Goggles with 100% UV protection





# BRIO

[www.brियोeurope.com](http://www.brियोeurope.com)

## Hand Tools



## 0502-MMB-9

### Stationary Knife Pro-Metal 9 mm

---

- It has an impact resistant body and integrated knife breaking device.
- It has fast blade locking feature thanks to its adjustable pusher.
- It is suitable for professional use with its ergonomically designed high quality body.
- The blade guide part is made of metal.



## 1401-H500

### Machinist Hammer With Wooden Handle 500 G

---



- The machinist hammers in various sizes with wooden handles.
- They have ergonomic handles so they are non-slip and easy to use.
- They are robust and have long service life.

## 0903-5M

### Measuring Tape 5 M

---

*It has impact resistant plastic body, belt hanger and sturdy strip due to the double-riveted end hook.*





## 1401-ATX7

### 7 Piece Allen Torx Short Offset Set T10-T40

---



*Delivered with its practical and useful storage container. It is easy to use and fits in the hand by means of its ergonomic structure. Can be used for a long time without deformation. The set contains 7 allen torx keys in T10, T15, T20, T25, T27, T30 and T40 sizes.*

## 1401-A9

### 9 Piece Allen Short Offset Set Hexagon 1,5-10 mm

---



*Delivered with its practical and useful storage container. It is easy to use and fits in the hand by means of its ergonomic structure. Can be used for a long time without deforming. The set contains 9 allen keys in 1,5, 2, 2,5, 3, 4, 5, 6, 8 and 10 mm sizes.*

## 1401-A9-L

### Allen Key Set Long 9 Piece 1,5-10 mm

---



*Delivered with its practical and useful storage container. It is easy to use and fits in the hand by means of its ergonomic structure. Can be used for a long time without deforming. The set contains 9 long size ball head allen keys in 1,5, 2, 2,5, 3, 4, 5, 6, 8 and 10 mm sizes.*

# 1401-TX5

## 5 Piece Torx Screwdriver Set T10-T30

*A set composed of T10, T15, T20, T25, T30 torx screwdrivers.*



Article	Bit Size	Color	Material
1408-T10	10	Red-Black	Krom-Vanadyum
1408-T15	15	Red-Black	Krom-Vanadyum
1408-T20	20	Red-Black	Krom-Vanadyum
1408-T25	25	Red-Black	Krom-Vanadyum
1408-T30	30	Red-Black	Krom-Vanadyum



# 1401-T6

## 6 Piece Flat Head-Phillips Screwdriver Set

---

*3 flat screwdrivers create 3 Phillips screwdrivers.*



Article	Bit Size	Blade Length	Handle Length
1408-3x80	0.5	80 mm	7,8 mm
1408-5.5x125	1.0	125 mm	9,6 mm
1408-6.5x150	1.2	150 mm	10,5 mm
1408-PH0x60	PH0	60 mm	7,8 mm
1408-PH1x80	PH1	80 mm	9,6 mm
1408-PH2x100	PH2	100 mm	10,5 mm

# 1401-TL4P

## Socket Screwdriver Set 4 Pcs 7-8-10-13

*It is a set containing 4 socket screwdrivers in sizes 7x125, 8x125, 10x125, 13x125.*



Article	Bit Size	Color	Material
1408-7x125	7x125	Red-Black	Krom-Vanadyum
1408-8x125	8x125	Red-Black	Krom-Vanadyum
1408-10x125	10x125	Red-Black	Krom-Vanadyum
1408-13x125	13x125	Red-Black	Krom-Vanadyum



## 1401-P3P Pliers Set 3 Pcs

---



### *Pliers Set 3 Pieces:*

> Side chisel pliers 160 mm > Combination pliers 160 mm > Combination pliers 160 mm

## 1407-04 Diagonal Cutting Pliers 160 mm

---



*Has a durable box joint design for longtime use. Provides self-locking on pipes and cap nuts for reliability and power saving.*

## 1407-SP05

Circlip Pliers 19-60 mm External Straight 180 mm

---



*Used for dismantling and assembly of the external circlips (DIN 471 ve DIN 983) on axles with 19 - 60 mm diameters.*

## 1407-SP06

Circlip Pliers 19-90 mm External Bent 90° 180 mm

---



*Used for dismantling and assembly of the internal circlips (DIN 471 ve DIN 983) on axles with 19 - 60 mm diameters. It has 90° angled tips for 'DIN 5256 Form D'.*

## 1407-SP07

Circlip Pliers 19-60 mm Internal Straight 180 mm

---



*Used for dismantling and assembly of the internal circlips (DIN 471 ve DIN 983) on axles with 19 - 60 mm diameters. It has flat tips for 'DIN 5256 Form C'.*

## 1407-SP08

Circlip Pliers 19-60 mm Internal Bent 90° 180 mm

---



*Used for dismantling and assembly of the internal circlips (DIN 471 ve DIN 983) on axles with 19 - 60 mm diameters. It has 90° angled tips for 'DIN 5256 Form D'.*



# 0502-MM

## Utility Knives and Spare Blades

### Features:

Brio utility knives are divided into metal and plastic molds. Each mold has a handy and hand-fitting ergonomics in itself. With the lock and one-handed control mechanism, everything you want from a utility knife meets the user..

### Areas of Use:

The usage areas of utility knives are very wide. It can be used in all working environments, from office to glass work, from advertising agencies to automotive services, by paying attention to occupational safety instructions.

#### 0502-MMB-18

Stationary Knife Pro-Metal 18



Art.	0502-MMB-18
Blade Size	18mm
Package	1
Type	Metal

#### 0502-MKP18

Utility Scraping Knife Plastic 18 M



Art.	0502-MKP18
Blade Size	18mm
Package	1
Type	Plastic

#### 0502-WMMB-9

Window Film Application Knife



Art.	0502-WMMB-9
Blade Size	9mm
Package	Metal

#### 0502-MMBY-9

Stationary Knife Spares 9 mm



Art.	0502-MMBY-9
Blade Size	9mm
Package	10

#### 0502-MMBY-10

Stationary Knife Spares 18mm



Art.	0502-MMBY-10
Blade Size	18mm
Package	10

# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Tool Trolleys and Tool Bags





1401-B6-B

Tool Trolley 6 Drawers Blue Empty

---

1401-B6-R

Tool Trolley 6 Drawers Red Empty

---

1401-B6-S

Tool Trolley 6 Drawers Black Empty

---

*The workshop trolley with 6 drawers and roller wheels to carry various tools.*



### 1401-B6-PRO-PLUS-R

Tool Trolley 6 Drawers Red Pro Plus Full 248 Pcs

---

### 1401-B6-PRO-PLUS-B

Tool Trolley 6 Drawers Blue Pro Plus Full 248 Pcs

---

### 1401-B6-PRO-PLUS-S

Tool Trolley 6 Drawers Black Pro Plus Full 248 Pcs

---



*Brio Movable Tool Cabinet, 6 drawers, 248 Pieces Product, Its a Tool Cabinet set with a large content. This set includes a variety of hand tools and provides a lot of tools you can use for different duties.*

*Drawer Carrying Capacity: **30 Kg**  
Bench Carrying Capacity: **200 Kg***





#### DRAWER 1



• Combined Wrench Set 18 Pieces 6-27 With Foam Bed




• Spanner Two Sided Set 10 Pieces 6x27 - 24x27 With Foam Bed

#### DRAWER 2



• Wrench Star Set 8 Pieces 6x7-20x22 With Foam Bed



• Socket Set 1/4-109 Pieces With Foam Bed

#### DRAWER 3



• Socket Set 3/8-27 Pieces With Foam Bed



• Socket Set 1/2-56 Pieces 10-32 With Foam Bed

#### DRAWER 4



• Screwdriver Set 6 Pieces With Foam Bed



• Screwdriver Set Torx 5 Pieces T10-T30 With Foam Bed

#### DRAWER 5



• Hobby Set 15 Pieces With Foam Bed



• Pliers Set 4 Pieces With Foam Bed

1401-B6-XL-B

Tool Trolley 6 Drawers XL Blue Full 256 Pcs

---

1401-B6-XL-R

Tool Trolley 6 Drawers XL Red Full 256 Pcs

---

1401-B6-XL-S

Tool Trolley 6 Drawers XL Black Full 256 Pcs

---



1401-B6-BLINE-259-B

Tool Trolley 6 Drawers Blue Brio B-Line Full 259 Pcs

---

1401-B6-BLINE-259-R

Tool Trolley 6 Drawers Red Brio B-Line Full 259 Pcs

---

1401-B6-BLINE-259-S

Tool Trolley 6 Drawers Black Brio B-Line Full 259 Pcs

---





# 1404-TBPH

## Tool Case Pro Home

*The hand tools in the Brio tool bag are of German origin. With Brio and German assurance, you can safely use our products for years. You can store the Brio Tool Bag Home Pro at home, in your office, in your car or anywhere you want without having to worry about space. The portability of the product allows it to be easily stored anywhere. The products in the set have been carefully selected and all the tools you may need around the home and office have been collected and brought together.*



Combined Pliers 160mm



Allen Wrench Set Short  
9 Pcs 1,5-10mm



Screwdriver Flat 5,5x125  
Screwdriver Fillister Ph2-100




Control Pen  
180mm 220-250v



Utility Knife Metal  
18mm



Wooden Handle  
Hammer



Meter 5 m



Electric Tape  
19mmx10m



Utility Knife Tip 10 pcs



Utility Knife Tip 10  
pcs

## 1404-TB420-3 Toolbox Empty 3 Drawers 420 mm

---

*It is an empty tool bag with 420x195x160 mm dimensions and 3 trays. Is robust and convenient.*





# 1404-TB420-3F

## Toolbox Full 3 Drawers 420 mm



42 cm



Chrome Vanadium  
Steel Hand Tools



Ergonomically Designed  
Hand Tools



Original Brio Metal  
Embossed Logo



Easy Opening-Closing  
Mechanism

### Foam Inlet 1



Long Nose Pliers 160 mm  
Combination Pliers 160 mm  
Diagonal Cutting Pliers 160 mm

### Foam Inlet 2



Phillips Screwdriver PH0-60 Flat Head Screwdriver 3x80  
Phillips Screwdriver PH1-80 Flat Head Screwdriver 5,5x125  
Phillips Screwdriver PH2-100 Flat Head Screwdriver 6,5x150

### Foam Inlet 3



Machinist hammer with wooden handle 500 g  
Stationary Knife Pro - Plastic 18 mm  
Universal Spray 200 ml  
Control Pen 180 mm 220-250 V  
PVC Tape 19mmx10m  
Measuring Tape 5 m  
9 Piece Allen Short Offset Set Hexagon  
1,5-10 mm

1404-TB420

Toolbox Empty 5 Drawers 420 Mm

---

530 mm




42 cm





# 1404-TB420-F

## Toolbox Full 5 Drawers 420 mm



Chrome Vanadium  
Steel Hand Tools



Ergonomically Design-  
ed Hand Tools



Original Brio Metal  
Embossed Logo



Easy Opening-Closing  
Mechanism


Screwdriver Starpho-60 Screwdriver Straight 3x80  
Screwdriver Starph1-80 Screwdriver Straight 5,5x125  
Screwdriver Starph2-100 Screwdriver Straight 6,5x150

### Foam Inlet 1



Needlenose Pliers 160 mm  
Combined Pliers 160 mm  
Flush Cutter Pliers 160 mm

### Foam Inlet 2



Screwdriver Starpho-60 Screwdriver Straight 3x80  
Screwdriver Starph1-80 Screwdriver Straight  
Screwdriver Starph2-100 5,5x125

### Foam Inlet 3



Meter 5 m  
Parrot Nose Pliers 250 mm

### Foam Inlet 4



Allen Torx Set Short 7pcs t10-t40  
Allen Hex Set Short 9pcs 1,5-10 mm  
Utility Knife Metal 18 mm  
Control Pen

### Foam Inlet 5



Wrench Double-side 6x7, Wrench Double-side 8x9  
Wrench Double-side 10x11, Wrench Double-side 12x13  
Wrench Double-side 14x15, Wrench Double-side 16x17  
Wrench Double-side 18x19, Wrench Double-side 20x22  
Wrench Double-side 21x23, Wrench Double-side 24x27  
Electric Tape 19mmx10mm  
Hammer Wooden Handle 300g  
Multi Functional Spray 200 ML

# 1404-TB007-B


## Tool Case 007 Bond Empty

---



### *Space-saving Tool Bag*

- Thanks to its ergonomic design and fold feature, you can easily store it in your car, workplace, home, office or any area you want.
- Thanks to its bond bag design and hard outer surface, it protects the tools inside against impacts.



### *Easy to Carry, 007 Bond Style!*

- The harmony of Red and Black color, when Brio's design, quality of the bag and careful selection of the products are compared in terms of price and performance, you buy Brio quality and Guarantee at the expense of unnecessary and unused inventory you pay for ordinary tool bags in the market.



## 1404-TB007-EH

### Tool Case 007 Bond Eco Home 45 Pcs

- > Tool Case 007 Bond Empty
- > Brio Battery Operated Led Lamp S
- > Mini Plastic Spirit Level
- > Mini Hacksaw
- > 160 mm long nose pliers
- > 160 mm combination pliers
- > 250 mm multigrip pliers
- > 160 mm diagonal cutting pliers
- > Control Pen 180 mm 220-250V
- > PH0-60 phillips screwdriver
- > PH1-80 phillips screwdriver
- > PH2-100 phillips screwdriver
- > 3x80 flat head screwdriver
- > 5,5x125 flat head screwdriver
- > 6,5x150 flat head screwdriver
- > 9 Piece Allen Short Offset Set Hexagon 1,5-10 mm
- > Machinist Hammer With Wooden Handle
- > Key Combination Set 6 -21
- > Cutting knife 18 mm
- > Stationery Knife Spare Blades 18 mm
- > Scissors Home-Office Type
- > Meters 5 m
- > Pvc Tape 19 mm x 10 m



## 1404-TB007-E

### Tool Case 007 Bond Pro Home 179 Pcs

- Tool Case 007 Bond Empty
- Brio Battery Operated Led Lamp S
- Mini Plastic Spirit Level
- Mini Hacksaw
- 160 mm long nose pliers
- 160 mm combination pliers
- 250 mm multigrip pliers
- 160 mm diagonal cutting pliers
- Control Pen 180 mm 220-250V
- PH0-60 phillips screwdriver
- PH1-80 phillips screwdriver
- PH2-100 phillips screwdriver
- 3x80 flat head screwdriver
- 5,5x125 flat head screwdriver
- 6,5x150 flat head screwdriver
- 7 Piece Allen Torx Short Offset Set T10-T40
- 9 Piece Allen Short Offset Set Hexagon 1,5-10 mm
- Machinist Hammer With Wooden Handle
- Key Combination Set 6 -21
- Cutting knife 18 mm
- Stationery Knife Spare Blades 18 mm
- Scissors Home-Office Type
- Meters 5 m
- Pvc Tape 19 mm x 10 m
- Bits Screwdriver Set 122 Pieces
- Universal spray 200 ml
- Black Spare Cuff Disposable Restraints 48x300 mm
- White Spare Cuff Disposable Restraints 48x300 mm
- Transparent Safety Goggles
- Poncho





## 1404-TB007-F

### Tool Case 007 Bond Pro Service 113 Pcs

- Tool Case 007 Bond Empty
- Brio Battery Operated Led Lamp S
- Mini Plastic Spirit Level
- Mini Hacksaw
- 160 mm long nose pliers
- 160 mm combination pliers
- 250 mm multigrip pliers
- 160 mm diagonal cutting pliers
- Control Pen 180 mm 220-250V
- PH0-60 phillips screwdriver
- PH1-80 phillips screwdriver
- PH2-100 phillips screwdriver
- 3x80 flat head screwdriver
- 5,5x125 flat head screwdriver
- 6,5x150 flat head screwdriver
- 7 Piece Allen Torx Short Offset Set T10-T40
- 9 Piece Allen Short Offset Set Hexagon 1,5-10 mm
- Machinist Hammer With Wooden Handle
- Key Combination Set 6 -21
- Cutting knife 18 mm
- Stationery Knife Spare Blades 18 mm
- Scissors Home-Office Type
- Meters 5 m
- Pvc Tape 19 mm x 10 m
- 56 Piece Socket Set 1/2 10-32 With Foam Inlet
- Universal spray 200 ml
- Black Spare Cuff Disposable Restraints 48x300 mm
- White Spare Cuff Disposable Restraints 48x300 mm
- Transparent Safety Goggles
- Poncho



## 1404-TB007-PHX

### Tool Case 007 Bond Service 159 Pcs

- Tool Case 007 Bond Empty
- Led Battery Powered Lamp Premium Day Light
- Mini Plastic Spirit Level
- Mini Hacksaw
- 160 mm long nose pliers
- 160 mm combination pliers
- 250 mm multigrip pliers
- 160 mm diagonal cutting pliers
- Control Pen 180 mm 220-250V
- PH0-60 phillips screwdriver
- PH1-80 phillips screwdriver
- PH2-100 phillips screwdriver
- 3x80 flat head screwdriver
- 5,5x125 flat head screwdriver
- 6,5x150 flat head screwdriver
- Allen Key Set Long 9 Piece 1,5-10 mm
- Machinist Hammer With Wooden Handle
- Key Combination Set 6 -21
- Cutting knife 18 mm
- Stationery Knife Spare Blades 18 mm
- Scissors Home-Office Type
- Meters 5 m
- Pvc Tape 19 mm x 10 m
- 109 Piece Socket Set 1/4 With Foam Inlet
- Universal spray 200 ml
- Black Spare Cuff Disposable Restraints 48x300 mm
- White Spare Cuff Disposable Restraints 48x300 mm
- Transparent Safety Goggles
- Poncho





## 1404-BTS142

### 142 Piece Brio Universal Tool Set in Plastic Case

---

- Screwdriver Phillips Ph2-100
- Screwdriver Flat 6.5X150
- Screwdriver Phillips Ph1-80
- Screwdriver Flat 5.5X125
- Key Combination 8
- Key Combination 9
- Key Combination 10
- Key Combination 11
- Key Combination 12
- Key Combination 14
- Key Combination 15
- Key Combination 16
- Key Combination 18
- Key Combination 19
- Key Combination 21
- Key Combination 22
- Key Combination 24
- Utility Knife Pro-Plast 18 mm
- Utility Knife Pro Spare Tip 18 mm - 10 Pcs
- Meters 5 m
- Hammer Wooden Handle 500 G
- Socket Set 1/4-109 Pieces With Sponge Bed
- Pliers Combined 160 mm
- Pliers Side Cutter 160 mm
- Control Pen 180 mm 220-250V
- Allen Key Set Long 9 Piece Ball Head 1.5-10 mm
- 9048 Large Pistol Bag



## 1500-67801

### Magnetic Tray Holder 100 mm

---



*It allows storage of small non-magnetic parts.*

**Fields of Application:** Can be used in the workshop, construction, automobile repair, etc. Preferred for large magnetic tools and parts such as aluminum, brass, stainless steel parts.

## 1404-YT-B

### Workshop Creeper 1030x480

---



*It is ergonomically designed. It is sturdy and useful. It is resistant to oil and chemicals. Includes 6 multi-corner swivel casters with industrial strength.*

103 cm

48 cm





## 1404-RWC Workmans Repair Wheel Chair

---



*It is a multi-purpose tool chair.*

### **Properties:**

- Padded seat
- Large storage compartment in the foot section
- Sturdy tubular steel frame (25 x 25 mm)
- 4 swivel castors Ø 50 mm
- Smooth rolling 360 degrees
- Seat: 380 mm wide x 190 mm deep
- Dimensions (W x D x H): 355 x 375 x 380 mm
- Small Shelf: 170 x 150 mm
- Large Shelf: 340 x 150 mm
- Max. Load capacity approx. 125 kg

## 1404-RWC5 Workmans Repair Chair

---



### **Scope of delivery:**

*1x adjustable from 390 to 520 mm workshop work seat.*

### **Features:**

- Padded seat
- Large storage compartment in the foot section,
- Height-adjustable using hydropneumatics
- Seat surface: Ø 295 mm
- Storage compartment: Ø 380 mm
- Max. load capacity: 135 kg
- Castor diameter: 63.5 mm

# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Lifting Jacks





# 1404-KF3T

## Formula Trolley Jack 3T

---



*It is a vehicle lifting jack with a polished and machined cylinder. It is especially used for filling and topping up transmission and differential oils. Thanks to its ease of use and portability, it is widely preferred in repair services, stages and workshops.*

### High Performance

---

- *It is a polished and machined vehicle lift jack, using high performance gaskets.*



### Long lasting

---

- *Extends the life of gaskets by minimizing wear. It has a 2-wheeled transport trolley and a carrying handle.*



### Ease of Use

---

- *Thanks to its ease of use and transportation, it is widely preferred in repair services, stages and workshops.*



## 1404-B05T

### Hydraulic Transmission Jack 500 Kg

---



- *It is used for checking and dismounting of engine, transmission box and rear axle.*
- *Its approximate height is 140 to 195 cm.*
- *It has 4 caster wheels.*
- *It has a compact and lightweight structure.*
- *Provides wide lifting range.*
- *Due to its hydraulic foot pedal, it is handy and practical.*

## 1404-B2T

### Low Lift Transmission Jack 2 T

---

- *It makes disassembly and replacement easier and safer.*
- *Pressure bearings in the saddle provide simple operation when in use.*
- *It features an adjustable tilt saddle, heavy welded steel frame and extrasolid wide base.*

#### **Features:**

- *Its carrying capacity: 2000 kg*
- *Lifting height: 800 mm*
- *Jack height: 210 mm*
- *Head height: 130 mm*
- *Chassis width: 600 mm*
- *Chassis length: 1200 mm*
- *Weight: 72 kg*
- *Capacity: 2000 kg*





# BRIO

[www.brियोeurope.com](http://www.brियोeurope.com)

## Bulbs



**HALOGEN BULB H4 12V 60 55 WATT 64193**

Art No: 0301-H412V60W

---



H4

12V

60  
55W

**HALOGEN BULB H4 24V 75 70 WATT 64196**

Art No: 0301-H424V75W

---



H4

24V

75  
70W

**HALOGEN BULB H7 12V 55 WATT 64210**

Art No: 0301-H712V55W

---



H7

12V

55W

**HALOGEN BULB H7 24V 70 WATT 64215**

Art No: 0301-H724V70W

---



H7

24V

70W



**HALOGEN BULB H1 12V 55 WATT 64150**

Art No: 0301-H112V55W



H1

12V

55W

**HALOGEN BULB H1 24V 70 WATT 64155**

Art No: 0301-H124V70W



H1

24V

70W

**HALOGEN BULB H3 12V 55 WATT 64151**

Art No: 0301-H312V55W



H3

12V

55W

**HALOGEN BULB H3 24V 70 WATT 64156**

Art No: 0301-H324V70W



H3

24V

70W

**CIRCULAR TURN SIGNAL BULB WITH  
SINGLE HOLDER 93 12V 21 WATT**

Art No: 0301-CS12V21W

---



12V

21W

**CIRCULAR TURN SIGNAL BULB WITH  
SINGLE HOLDER 93 24V 21 WATT**

Art No: 0301-CS24V21W

---



24V

21W

**CIRCULAR TURN SIGNAL BULB 24 V  
21/5 WATT DOUBLE S. SQUINT 7537**

Art No: 0301-CS24V5W

---



24V

21/  
5W

**CIRCULAR TURN SIGNAL BULB 12 V  
21/5 WATT DOUBLE S. SQUINT 7528**

Art No: 0301-CS12V5W

---



12V

21/  
5W



**BRAKE SIGNAL BULB SINGLE POINT 67**

**12V 5 WATT 5007**

Art No: 0301-S12V5W



12V

5W

**BRAKE SIGNAL BULB R10 12V 10W 5008**

Art No: 0301-S12V10W



R10

12V

10W

**BRAKE SIGNAL BULB SINGLE POINT 67**

**24V 5 WATT 5627**

Art No: 0301-S24V5W



24V

5W

**BRAKE SIGNAL BULB R10 24V 10W 5637**

Art No: 0301-S24V10W



R10

24V

10W

**CIRCULAR TURN SIGNAL BULB ORANGE**

**12 V 21 WATT 7507**

Art No: 0301-CSO12V21W



12V

21W

**CIRCULAR TURN SIGNAL BULB ORANGE**

**24 V 21 WATT 9507**

Art No: 0301-CSO24V21W




24V

21W

# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Lubrication Products





## 1404-OP300

### Push Type Mini Grease Gun Manuel Portable

---

*Mini Grease Gun is a useful lubricating mechanism with its push type system, and its portable design helps it to fit in the pockets of overalls and worker trousers without trouble. Due to its fixed spout tip, it provides essential grease lubricating performance for hard-to-reach spots.*

**Fields of Application:** Can be used in mechanisms that need grease lubrication.



## 1404-GG300

### Push Type Mini Grease Gun With Fixed Spout

---

## 1404-GG500

### Grease Gun 500 CC

---

*Grease Gun can easily be filled with the special filling device, grease cartridge or by knife (manually), and becomes ready to use. After loading the cartridge, grease can be applied over desired surfaces by using hand lever system.*

**Fields of Application:** Can be used on the surface and mechanisms that are hard to reach.



## 1404-GGC500 Four Jaws Coupler

---

*This product prevents leakages and lubricant backup instead of a check valve.*

**Fields of Application:** *Can be used as a tip and coupler of 500 cc grease gun.*



## 1404-GGH500-30 Grease Gun Hose 30 cm

---

## 1404-GGH500-40 Grease Gun Hose 40 cm

---

## 1404-GGH500-50 Grease Gun Hose 50 cm

---

*Brio Grease Gun Hose creates an optimal connection between the grease gun and lubrication area. Hose is made of flexible thermoplastic material which prevents cracking or breaking and allows access to fittings in confined areas.*



## 1404-GGH500T Grease Gun Hose 30 cm Thin

---





## 1404-GGRS500

### Grease Gun Rigid Pipe

---

*Brio Grease Gun Rigid Pipe permits ease of attachment to fittings that are hard to reach. High strengthened connection points on both ends of the pipe provide a tight seal and prevent unwanted grease leakages.*



## 1404-656

### Automatic and Manuel Transmission Oil Filling Tool

---

- Suitable for manual and automatic transmissions.
- Used to fill oil.
- It has an 80 cm<sup>3</sup> capacity per pump and
- 7 litres of tank capacity.
- Suitable for SAE 0 - SAE 140 viscosity range.
- Supplied with 8 adapters listed below:
- Adapter for Ford, 1/8" 27NPT
- Universal adapter for BMW, Honda, Nissan etc.
- Adapter for VW, Audi
- Adapter for VW, Audi, Porsche
- Adapter for VW, Audi, Mini, M10 x 1.0
- Adapter for VW & Audi DSG, M24 x 1.5
- Adapter for VW & Audi CVT, M22 x 1.5
- Adapter for Mercedes 722.9, M12 x 1.0



## 1404-HP1500

### Engine Oil Change Suction Pump 1,5 L

---

- > 1,5-litre Suction pump is used in the automotive industry to suck and fill fluids, engine oils, gear oils, rear axle oils and cooling fluids.
- > Transparent designed for visual control.
- > There is a piston fixed with a double sealing ring.
- > The volume, including the chamber in 100 ml steps, is 1500 ml.
- > The total length of the hand pump is 470 mm.



## 1404-MOP500


### Engine Oil Change Suction Pump 500 ml

---

500mL Scale Hand Pump is suitable for filling and transferring various liquids such as motor oil, gear oil, sanitary field, water etc. The pump is equipped with a practical T-shaped handle and a vinyl tube for application.

**Features:**

- > Sealing ring made of NBR plastic.
- > Transparent design for fluid control.
- > Capacity: 500 ml
- > Hose length: 300 mm
- > Inner hose diameter: 8 mm and outer hose diameter: 12 mm





1404-13380

## Pneumatic Waste Oil Extractor With Funnel 80 L

---

*This device, which has a waste oil storage capacity of 80 l, is designed for the storage of waste oil discharged from the engine and gear boxes. There are 4 wheels on the tank, two of which are fixed and two of which are rotating, so the mobility is quite high. It can be adjusted at the desired height thanks to its movement. The stored oil is discharged by giving maximum 0.5 bar air into the tank. It works smoothly and safely thanks to the manometer and safety valve. It is especially used in authorized and private vehicle services.*



1404-5040

## Portable Oil Trolley Set With Oil Gun Preset Metter And 5m Hose

---

*BRIO Portable Thin Oil Car Set is a practical solution that includes a digital gun and a 5-meter hose. The thin oil gun provides user convenience with its precise digital control. The 5-meter hose offers flexibility and convenience of use, making lubrication more effective. Designed with BRIO quality, this set makes your car maintenance easier and lubrication more efficient. BRIO Portable Thin Oil Car Set, a reliable assistant for your vehicle maintenance, stands out with its durability and ease of use.*



## 1404-13300

### Mechanical Waste Oil Extractor 50 L

---

*It is used for collecting dirty oils of vehicles. All of these models are used when the vehicle is lifted. Its sturdy metal cover provides protection against impacts. It is handy and easy to carry due to its wheeled structure. It has a capacity of 50 litres.*



## 1404-8236

### Mechanical Flushing Oil Pump 18 Lt

---

*This device, which has 18 L oil capacity is especially used for filling and completing gearbox and differential oils. It has a mechanical operating principle. It has the capacity to deliver 0.250 ml of oil from one stroke to the end of the other stroke movement so it gives the user the chance to measure the oil. There is a special fabric rubber hose with a length of 1,5 m. It is widely preferred in repair services, stages and workshops thanks to its ease of use and transportation.*





# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Special Equipments



# 0902-PTG

## Paint Thickness Measuring Device

---



*It can measure non-destructive coatings (paint, plastic, etc.) on steel / ferrous and non-ferrous metals. The paint thickness gauge is ideal for immediately identifying vehicle accident damage, as well as for inspection of inbound and outbound goods in industrial areas to deliver consistent product quality.*



- No calibration, just zero adjustment
- One hand operation, just one button
- Fast measurement, 0.5s measuring range
- Wear-resistant for long-term use ruby probe tip.





## O902-MITCF500-1 Endoscopy Device Set 4.9 mm Probe

---

### O902-MITCF500 Endoscope Kit 4,9 mm

---

*It has a lot of features such as video and photo capturing, viewing on computer or television, zooming and 90-degree display. It is possible to get clearer images with mirror. Works with a rechargeable battery. It has oil and scratch-resistant glass.*

**Fields of Application:** *It can be used to observe the hard-to-reach points of any vehicle.*



## 1404-224 Diesel Injector Nozzle Tester Device

---



*It is used to adjust the injection pressure and to check the injection nozzle spray pattern and initial frequency pressures. Has two adapters, can measure up to 600 bars.*

# 1404-8315S

## Brake Bleeder + Universal Adapter Set

---



*Used for brake and clutch systems. It has a 5-litre container and the brake fluid collector nozzle. Its rubber membrane separates the brake fluid from compressed air and prevents water penetration. It has a diameter of 280 mm and a height of 460 mm. Working pressure can be controlled by pressure regulators between 0-3 bar. The pressure gauge can be adjusted and read.*



• Euro compressed air adapter

• 1 compressed air brake bleeder

• 1 filling hose 3700 mm

• 10 adapters (in the bag)

• 1 collection bottle 500 ml



## 1500-1110-22

### Manuel Brake and Piston Adjustment Set 22 Pcs

---

- *It is a basic set for setting back the brake pistons.*
- *It has a right-threaded spindle.*
- *It has a left-threaded spindle.*

***It is suitable for the following models:***

- *Alfa Romeo, Audi, Austin, BMW, Citroën, Ford, General Motors, Honda, Jaguar, Mazda, Mercedes-Benz, Mitsubishi, Nissan, Opel, Renault, Rover, Saab, Subaru, Toyota, VW*



## 1404-1580

### Vacuum Brake Bleeding Kit and Pump For Testing

---

*Scope:*

- > 1 vacuum gun with suction and pressure functions
- > 2 collection containers
- > 14 adapters
- > 1 brake nipple adapter
- > 3 transparent hoses, short
- > 2 transparent hoses, long
- > Vacuum pressure pump set
- > Branded product Brio
- > Suitable for the control of pressure and vacuum systems such as  
boost pressure, vacuum solenoid valves, tank ventilation, MAP sensors and bleed brakes
- > Not suitable for fuel systems (petrol / diesel)
- > 63,5 mm pressure / vacuum manometer
- > Pressure monitoring range 0 to 3 bar
- > Vacuum display range 0 to -1 bar
- > Max. Negative pressure -0.7 bar
- > Max. pressure 3 bar
- > Delivered in a sturdy plastic case
- > Product for a long service life in daily workshop use



## 0903-08 Headlight Aligner

---

*It is used for adjusting the vehicle lights. It has a digital screen, LDR sonar, Ultra Stream Laser, Laser Measuring, PL lens, 9V DC battery and Slide Off Lock system.*



## 1404-H2600 Universal Coil Spring Compressor 2600 kg

---

- › It is a tool used for quick and professional removal and installation of suspension struts.
- › Designed for the McPherson struts with crown and cylinder springs
- › High capacity of max. Load: 26,000 Nm
- › Min. Spring diameter 80 mm
- › Max. Spring diameter 195 mm
- › The spacer causes an offset of 30 mm
- › Drive-by hexagon SW 24 mm key
- › 3 pairs of clamping heads for the following spring diameters: 65-110 mm, 88-140 mm, 126-195 mm
- › It is not suitable for use with an impact wrench.
- › Completely sorted in a sturdy plastic case
- › The item for long service life in daily workshop use.






# 1404-644PRO-2

## Automatic Transmission Washing Device Adapter Set 100 Piece

- > ATF automatic transmission oil flushing device, additional adapters, 100 pieces suitable for ATF flushing device automatic transmission oil flushing
- > Extensive adapter set, for example for DSG CVT transmissions
- > Article for a long service life in daily workshop use
- > A01, A960E, New Crown, Reiz Lexus IS300 Lexus ES300 Lexus GS300
- > A02, 5HP, A4-A6- Passat, 7 speed CVT (01)
- > A03, 6T40-6T45E-4T60
- > A04, A760-A761-A960, 6 speed - all wheel drive
- > A05, AV55-50SM, Volvo S40-S60, 5 speed FWD-4WD
- > A06, ZF 6HP26, Jaguar - Audi
- > A07, CVT (01T), 8 speed
- > A08, TF-815C, 6 speed Land Rover Freelander 2/3 - Roewe 750
- > A09, ZF 6HP19-21, BMW X5, 6 speed
- > A10, ZF 6HP26-28, BMW X6, 6 speed
- > A11, ZF 6HP 19-21-24-26-28, BMW 3-5-7-X5
- > A12, AL4
- > A13, TF-80CS, Citroen C5-C4, Peugeot 3008/4008
- > A14, TF-80SC, Citroen C5-C4, Peugeot 3008
- > A15, 4 speed, Buick gearbox type
- > A16, TF-61SN-09 gearbox
- > A17, TF-60SN-09 gearbox
- > A18, 01M
- > A19, TF-60SN-09 gearbox
- > A20, CVT-REOF01-06A
- > A21, JF011E-REOFOA
- > A22, CVT-K110
- > A23, CVT-(CN1A)
- > A24, 7 speed 722.9 Mercedes Benz
- > A25, 5 speed Toyota
- > A26, 09M VAG gearbox
- > A27, TF-60SN Audi Q7 Cayenne Touareg
- > A28, 7 speed 722.9
- > A29, 8 speed OC8, TR-80SD, VAG
- > A30, ZF 8HP45-70-90, BMW gearbox type
- > A31, 6HP/24, 6 speed Land Rover gearbox type
- > A32, 6HP BMW gearbox type
- > A33, OAW, Audi gearbox type
- > A34, JF011E-REOF10-11A, Nissan gearbox type
- > A35, 09G VAG gearbox type
- > A36, 9HP/28 9 speed Land Rover gearbox type
- > A37, 6AT Mazda gearbox type
- > A38, DSG (DQ250) VAG gearbox type
- > A39, ZF- 8HP-55 8 speed Audi gearbox type
- > A40, 5-speed Mercedes Benz gearbox type SLK 200-CLK
- > A41, K310 (K311) Toyota gearbox type
- > A42, 7 speed CVT (01) (01J) Audi gearbox type



- > A43, 5L40E Cadillac transmission type CTS-SRX
- > A44, 6 speed Citroen-Peugeot gearbox type
- > A45, CV6P 6 speed Ford-Volvo transmission type TF-80
- > A46, 6F35-50 6 speed Ford gearbox type
- > A47, TG-81SC 8 speed Volvo V60- Cadillac XT-5
- > A48, ZF 6HP-26 6 speed Maserati gearbox type
- > A49, 7 speed DSG Audi gearbox type
- > A50, DSL-6AT400 6 speed Geely gearbox type
- > A51, CV6P-7000-B 6 speed Ford gearbox type
- > A52, TF-81SC Volvo gearbox type XC60-XC90
- > A53, CVT (CN1A)
- > A54, 8 speed AA81E
- > A55, GM6L45E BMW gearbox type
- > A56, 09G
- > A57, 09G
- > A58, S80
- > A59, DCT (double clutch) Mercedes Benz transmission type
- > A60, JF011E - REOFOA Mitsubishi gearbox type
- > A61, 6T40 - 45E - 6T70E - 6T75E Cadillac transmission type
- > A62, ZF-6HP19-21 BMW gearbox type
- > A63, A760E Toyota gearbox type
- > A64, 6T40E-6T45E Chevrolet
- > A65, SR8AT-300 Landwind X5-X7
- > A66, ZF-8HP70-75 Jaguar Jeep Land Rover transmission type
- > A67, CVT - JF015E Suzuki gearbox type
- > A68, BYD Mazda-Honda-Toyota
- > A69, 6DCT450 BYD Ford-Volvo dual clutch
- > A70, 722.6 Mercedes Benz gearbox type
- > A71, ZF-6HP-19-21 BMW gearbox type
- > A72, ZF-8HP-45-70-90 8 speed BMW gearbox type
- > A73, 09G Universal
- > A74, 8 speed DSG Honda gearbox type
- > A75, 4F27F VAG gearbox type
- > A76, 6R80E Mustang Ford transmission type
- > A77, ZF-8HP-70 Jeep-Land Rover transmission type
- > A78, 724.0 (7G-DCT) double clutch Mercedes Benz transmission type
- > A79, 6HP-28 Land Rover transmission type
- > A80, 09M 6 speed VAG gearbox type
- > A81, ZF-6HP-26 BMW-Jaguar Audi gearbox type
- > A82, Chuanqi GS8
- > A83, OAW Audi gearbox type
- > A84, 09G VAG gearbox type
- > A85, 5L40-50E Cadillac-Buick transmission type
- > A86, OBT
- > A87, add-on component / Pro Auto
- > A88, 7-speed double clutch GLK A180-A200-B180-B200-B260, CLK-AMG-GLA
- > A89, add-on component / Pro Auto
- > A90, Audi Q5
- > A91 Territoty CVT
- > A92, TOYOTA gearbox type
- > A93, JAC S5 double clutch
- > A94, specific speed Magic Speed 8AT





- > A95, 2019 Hyundai Lead, Kia K3 CVT transmission type
- > A96, 7DCT220F BenTeng double clutch
- > A97, Baojun CVT transmission type
- > A98, Geely, Lynk & Co 7-speed double clutch
- > A99, Bentley gearbox type
- > A100, Harvard, WEY 7-speed wet double clutch

## 1404-644PRO-3

### Automatic Transmission Washing Device Adapter Set 9 Piece

---

*ATF Cleaner Device, removes, cleans and replaces fluids from automatic transmissions, gearboxes, hydraulic torque gears, gear coolers and cooler lines of most types and models. Includes:*

- > 1x professional ATF change / flushing device
- > 2x 25 liter containers for fresh oil and used oil

*Area of application: Gear oil change, flushing system, oil change system for DSG gearbox*

*Technical information:*

- > Working pressure: 70 to 90 PSI, air inlet: 1/4 "-18 NPT,
- > Pressure Regulator: Manual
- > Includes Adapters for various vehicle models such as:  
Audi, Seat, Skoda, VW, BMW, Peugeot, Land Rover, Ford, Toyota, Mercedes Benz, etc.
- > Power supply: 12 volts, pump output 70 watts
- > Oil inlet and return hoses: 3- (2x) 126 (L) x 1/2 (D) inch (1-red, 1-black)  
(1) 137 (L) x 1/2 (D) inch (red); all with male and female quick connectors, 300 PSL (max.) weighted
- > Pressure gauges: Both 2-3 / 4 (D) inches; 0 ~ 100 PSI, steps of 20 PSI; 0 ~ 7 bar, in increments of 1 and 1/10 bar
- > Filters: auto oil filter, 4-3 / 4 (L) x 3 (D) inch; 17mm x 1.7 internal thread
- > Liquid capacity: 2 tanks (for new and old liquids), 25 liters per tank



## 1404-ATFXPRO

### Automatic Transmission Washing Device Atf-X Pro Digital Gauge 40 Pcs

---

#### **Technical specifications:**

- > Ambient temperature: -10°C to + 40°C
- > Same exchange error:  $\pm 0.01L$
- > Relative humidity: < 85% Voltage: DC12V
- > Maximum power: 150W
- > Pressure gauge: 0-150psi
- > Touchscreen size: 7 inches
- > Oil filter accuracy: 5 $\mu$ m
- > Oil pipe: 2.5 m Oil return pipe: 2.5 m
- > Oil drain pipe: 2.5 m: 1.5 m Oil tank: 20L x 2
- > Noise: <70db Net Weight: 50 kg
- > Control: German and English



## 1404-E500

### Engine Hanger 750x1450 500 Kg

---

*It has threaded rods, hook (M20 x 2.5) and a powerful square tube for mounting and demounting of the engine and transmission. Its width is adjustable. Protects the fenders by its rubber pads. It has a double chain with a length of 90 cm.*





## 0602-CBS112

### 112 Piece Hose Clamp Set 8x16 in Plastik Case

---

*The set that is composed of 112 pieces of Worm-Drive Hose Clamps. It is delivered in its plastic case. It contains the following products;*

- > 40 Pieces Worm-Drive Hose Clamp 8-16 Bg/W1
- > 20 Pieces Worm-Drive Hose Clamp 12-20 Bg/W1
- > 20 Pieces Worm-Drive Hose Clamp 16-25 Bg/W1
- > 10 Pieces Worm-Drive Hose Clamp 20-32 Bg/W1
- > 10 Pieces Worm-Drive Hose Clamp 25-40 Bg/W1
- > 10 Pieces Worm-Drive Hose Clamp 32-50 Bg/W1
- > 1 Pieces Screwdriver
- > 1 pieces Clamp Box



## 1402-DMV5200

### Torque Multipliers Rim Wrench For Heavy Vehicles 5200 Nm

---



#### **Heavy Duty Wheel Bolt Remover Features:**

- > Made of high quality steel in black color.
- > Ready-to-use set.
- > It can be used on trucks, buses, RVs and other heavy-duty vehicles.
- > The torque converter has an ergonomic handle.
- > Suitable for use with high quality steel sockets.
- > It is easy to carry.
- > We can now unscrew the wheel bolt we want with just your hand strength.

#### **Technical Features**

- > Driver 1" Maximum torque: 5200NM.
- > Gear ratio: 1:58
- > Two 32mm/33mm sockets.
- > Extension arm: 210mm
- > Heavy cast material: iron
- > Body and handle with plastic grip
- > Color:Black

#### **Using Areas**

*It can be used on trucks, buses, RVs and other heavy-duty vehicles.*

# 1404-BRP

## Brake and Clutch Cleaner Pump Spray 1 L

---



*Our 1.0l compressed air sprayer is a true classic. Its resistance to various fluids and other additional options make it versatile in the compact industry. Our highly reliable products, due to their durability, are the ideal companion for professional users not only in workshops, industry and trade, but also in the home, garden and cleaning sectors.*



*Original Pump Valve*

*Original Spray Button*

*Hollow Cone Nozzle Original Plastic 0.8 mm*

*Black with visibility stripe*

# 1404-BRP-30

## Brake and Clutch Cleaner Pump Extension Apparatus

---



- *It is a product designed for high quality pressure solution pump.*
- *Brake Pad Cleaner Pump Extension Apparatus.*
- *With the help of our extension probes, hard-to-reach places can now be sprayed evenly.*
- *Lengths: 30 cm*



# BRIO


[www.brियोeurope.com](http://www.brियोeurope.com)

## Sanding, Cutting, Flap Discs



# Sandpapers 6 Holes Velcro

---



Sandpaper 6 Holes Velcro	P80
Sandpaper 6 Holes Velcro	P100
Sandpaper 6 Holes Velcro	P120
Sandpaper 6 Holes Velcro	P150
Sandpaper 6 Holes Velcro	P180
Sandpaper 6 Holes Velcro	P220
Sandpaper 6 Holes Velcro	P240
Sandpaper 6 Holes Velcro	P280
Sandpaper 6 Holes Velcro	P320
Sandpaper 6 Holes Velcro	P400
Sandpaper 6 Holes Velcro	P500
Sandpaper 6 Holes Velcro	P600
Sandpaper 6 Holes Velcro	P800



O401-BA36

Band Sander Ceramic 10x330 P36

---

O401-BA60

Band Sander Ceramic 10x330 P60

---

O401-BA80

Band Sander Ceramic 10x330 P80

---



O403-5

Rubber Eraser Disc

---

*Brio Rubber Eraser Disc is also known as eraser wheels, caramel wheels or sticker removal wheels. Suitable for vinyl graphics, decals, tapes, fine lines, etc. Provides a fast and effective way to remove it from the vehicle body. Allows clean removal of labels from paint using light pressure.*



O403-5-1

Rubber Eraser Disc Truck

---

*Cleans the residues of adhesive tapes and labels.*

O404-115x6  
Grinding Disc 115x6

---

O404-125x6  
Grinding Disc 125x6

---

O404-180x6  
Grinding Disc 180x6

---

O404-180x8  
Grinding Disc 180x8

---



*It provides fast and smooth grinding. It is economical.*

**Fields of Application:** Used for abrasion of gray cast iron, steel casting, unalloyed steel and construction steel.

O404-P40-AO  
Flap Disc 115xP40 AO

---

O404-P60-AO  
Flap Disc 115xP60 AO

---

O404-P80-AO  
Flap Disc 115xP80 AO

---



*These are mini lamellar abrasive flap disks with quick change input for use in pneumatic grinders and bendable shafts. These discs can also be used in pneumatic or electric palm grinders with inlet holders.*

**Fields of Application:** Especially suitable for hard materials such as high alloy steels, nickel, titanium and stainless steel. It can also be used in iron and non-ferrous materials.



O404-115x1E  
Cutting Disc Inox

---

O404-115x3  
Cutting Disc Metal

---

O404-125x1  
Cutting Disc Inox

---

O404-180x16  
Cutting Disc Inox

---

O404-180x3  
Cutting Disc Metal

---

O404-230x19  
Cutting Disc Inox

---

O404-230x3  
Cutting Disc Metal

---



*Bonded with artificial resin, fiber reinforced cutting and grinding disc produced for superior performance. Provides safe cutting and grinding with electric or pneumatic grinders. It has superior breaking safety. Meets with the highest safety requirements of the European standard EN 12413 and OSA.*

**Fields of Application:** *Used for cutting materials such as sheet metal, pipes, profiles, steel ropes and reinforcing bars.*

# BRIO

[www.brio-europe.com](http://www.brio-europe.com)

## Torque Wrenches and Tools





1404-5x25

Torque Wrench 1/4 5-25 Nm

---



1404-10x50

Torque Wrench 1/4 10-50 Nm

---



1404-10X60

Torque Wrench 3/8 10-60 Nm

---



1404-20x200

Torque Wrench 1/2 20-200 Nm

---



1404-40X220

Torque Wrench 1/2 40-220 Nm

---



1404-60x330

Torque Wrench 1/2 60-330 Nm

---





1404-70x350

Torque Wrench 1/2 70-350 Nm

---



1404-100x500

Torque Wrench 3/4 100-500 Nm


---



1500-3170

Torque Goniometre Magnetic Handle 1/2 12.5 mm

---



- > Precise workshop finish
- > To accurately set the angle required
- > Max. capacity approx. 280 Nm
- > Drive profile: Internal square
- > Gross weight: 480 g
- > Drive profile size, metric: 12,5 mm
- > Drive profile size, inch: 1/2"

# 1404-TS

## Torque Wrench Set 1/2 40-210 Nm 5 Pcs

---

- *Torque Wrench 1/2 inch made of chrome vanadium steel has the properties of a reversible ratchet with the automatic release with click signal and changeover lever for clockwise and counterclockwise rotation.*
- *Double readable scale in Nm and M-Kgs*
- *Torque value: 40 to 210 Nm / 2.9 - 21.4 M-Kgs*
- *Total length: 470 mm*
- *3x Sockets: 17-19-21 mm with knurled*
- *Extension: 125 mm long with ball lock and knurling for better hold*





## Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is a faint red vertical margin line on the left side. A diagonal crease or fold is visible on the right side of the paper. The background behind the paper is dark grey.

# BRIO

*Together Stronger*

**Brio Enerji Ve Otomotiv San. Ve Tic. A.ş.**

İkitelli Organize Sanayi Bölgesi Aykosan San. Sit.  
2. Kısım No: 17/C Blok 34490 Başakşehir / İSTANBUL  
Tel: (0212) 671 58 82 Faks: (0212) 355 83 21  
info@brioshop.com.tr | info@brio-europe.com  
www.brioshop.com.tr | www.brio-europe.com